



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Beta-Tubulin [S11B] Standard Size Ab00404-24.1

This full-length, chimeric goat antibody was made using the variable domain sequences of the original Human scFv format, for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Goat IgG, Lambda

Clone Number: S11B

Alternative Name(s) of Target: TUBB

UniProt Accession Number of Target Protein: Q13509

Published Application(s): WB, ELISA

Published Species Reactivity: Human

Immunogen: Human MBP (microtubule-binding protein).

Specificity: Binds specifically to human beta-tubulin (no crossreactivity with alpha-tubulin).

Application Notes: This antibody binds to beta-tubulin. Tubulin is the major constituent of microtubules. The beta-chain has an exchangeable GTP-binding site.

Antibody First Published in: Nizak et al. Recombinant antibodies against subcellular fractions used to track endogenous Golgi protein dynamics in vivo. Trafficking 2003; 4(11):739-753 [PMID:14617357](#)

Note on publication: Describes the generation of several scFvs against a variety of intracellular components with the aim of identifying an anti-Giantin antibody.

Product Form

Size: 200 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.