



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-TDRD3 [Fab-8-1] Bulk Size Ab00408-1.1-BT

This full-length, chimeric mouse antibody was made using the variable domain sequences of the original Human scFv format, for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Mouse IgG1, Kappa

**Clone Number:** Fab-8-1

**Alternative Name(s) of Target:** Tudor-domain-containing protein 3

**UniProt Accession Number of Target Protein:** Q9H7E2

**Published Application(s):** ELISA

**Published Species Reactivity:** Human

**Immunogen:** Human TDRD3.

**Specificity:** Binds to human TDRD3 with a Kd-value of 1 nM. Specificity checked by ELISA - it show no binding to any of 13 non-cognate antigens.

**Application Notes:** This antibody binds to the tudor domain of TDRD3, a nuclear coactivator that recognizes and binds asymmetric dimethylation on the core histone tails associated with transcriptional activation such as H4R3me2 or H3R17me2. In the cytoplasm, it is suggested to be involved in the assembly and disassembly of mRNA stress granules. Interesting feature about this antibody: The CDR-H3 plays virtually no role in antigen recognition.

**Antibody First Published in:** Persson et al. Diversity is not required for antigen recognition by synthetic antibodies. Journal of Molecular Biology 2013; 425(4):803-811 [PMID:23219464](#)

**Note on publication:** Describes the generation of several synthetic antibodies from phage display and subsequent crystallisation with TDRD3.

## Product Form

**Size:** 1 mg Purified antibody in bulk size.

**Purification:** Protein A affinity purified

**Supplied In:** PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

**Concentration:**

1 mg /ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.