



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-Glucose-dependent insulinotropic Receptor [Gipg013] Standard Size Ab00424-6.4

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This full-length, chimeric rat antibody was made using the variable domain sequences of the original Mouse scFv format, for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Rat IgG1, Fc Silent™, Lambda

**Clone Number:** Gipg013

**Alternative Name(s) of Target:** GIPr

**UniProt Accession Number of Target Protein:** Q8TDV5

**Published Application(s):** Blocking, ELISA, IF

**Published Species Reactivity:** Dog, Rat, Human, Mouse

**Immunogen:** Human GIPr.

**Specificity:** The original has a Ki value of 7 nM and a Kd value of 6.8 nM for human GIPr.

**Application Notes:** This antibody binds to GIPr, a GPCR expressed on pancreatic beta-cells, where activation leads to the release of insulin. Endogenous ligands for the receptor include oleylethanolamide and lysophosphatidylcholine. The antibody acts as a competitive antagonist. In rat islets, the antibody inhibits GIP-induced secretion of insulin by up to 81%.

**Antibody First Published in:** Ravn et al. Structural and pharmacological characterization of novel potent and selective monoclonal antibody antagonists of glucose-dependent insulinotropic polypeptide receptor. Journal of Biological Chemistry 2013; 288(27):19760-19772 [PMID:23689510](#)

**Note on publication:** Describes the generation of a monoclonal antibody against GIP and subsequent crystallisation as well as inhibition studies.

### Product Form

**Size:** 200 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.