



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TNFRSF17 (Human) IP-WB Antibody Pair

Catalog # : H00000608-PW1

規格 : [1 Set]


List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of TNFRSF17 transfected lysate using rabbit polyclonal anti-TNFRSF17 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse polyclonal anti-TNFRSF17.

Supplied Product: Antibody pair set content:
 1. Antibody pair for IP: rabbit polyclonal anti-TNFRSF17 (300 ul)
 2. Antibody pair for WB: mouse polyclonal anti-TNFRSF17 (50 ul)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [608](#)

Gene Name: TNFRSF17

Gene Alias: BCM,BCMA,CD269

Gene Description: tumor necrosis factor receptor superfamily, member 17

Omim ID: [109545](#)

Gene Ontology: [Hyperlink](#)

Application Image

Immunoprecipitation-Western Blot

Gene Summary: The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is preferentially expressed in mature B lymphocytes, and may be important for B cell development and autoimmune response. This receptor has been shown to specifically bind to the tumor necrosis factor (ligand) superfamily, member 13b (TNFSF13B/TALL-1/BAFF), and to lead to NF-kappaB and MAPK8/JNK activation. This receptor also binds to various TRAF family members, and thus may transduce signals for cell survival and proliferation. [provided by RefSeq]

Other Designations: B cell maturation antigen, B-cell maturation factor, OTTHUMP00000160261

Gene Pathway

[Cytokine-cytokine receptor interaction](#)

Related Disease

[Arthritis, Rheumatoid](#) [Asthma](#) [Colitis, Ulcerative](#) [Crohn Disease](#)
[Genetic Predisposition to Disease](#) [Hematologic Diseases](#) [Kidney Failure, Chronic](#)
[Multiple Myeloma](#) [Occupational Diseases](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.