



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

FIGF (Human) IP-WB Antibody Pair

Catalog # : H00002277-PW2

規格 : [1 Set]


List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of FIGF transfected lysate using rabbit polyclonal anti-FIGF and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse purified polyclonal anti-FIGF.

Supplied Product: Antibody pair set content:
 1. Antibody pair for IP: rabbit polyclonal anti-FIGF (300 ul)
 2. Antibody pair for WB: mouse purified polyclonal anti-FIGF (50 ug)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [2277](#)

Gene Name: FIGF

Gene Alias: VEGF-D, VEGFD

Gene Description: c-fos induced growth factor (vascular endothelial growth factor D)

Omim ID: [300091](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is a member of the platelet-derived

growth factor/vascular endothelial growth factor (PDGF/VEGF) family and is active in angiogenesis, lymphangiogenesis, and endothelial cell growth. This secreted protein undergoes a complex proteolytic maturation, generating multiple processed forms which bind and activate VEGFR-2 and VEGFR-3 receptors. This protein is structurally and functionally similar to vascular endothelial growth factor C. [provided by RefSeq]

Other Designations: OTTHUMP00000022960,vascular endothelial growth factor D

Gene Pathway

[Bladder cancer](#) [Cytokine-cytokine receptor interaction](#) [Focal adhesion](#)
[mTOR signaling pathway](#) [Pancreatic cancer](#) [Pathways in cancer](#) [Renal cell carcinoma](#)

Related Disease

[Chorioamnionitis](#) [Fetal Membranes, Premature Rupture](#) [Genetic Predisposition to Disease](#)
[Lymphedema](#) [Obstetric Labor, Premature](#) [Pre-Eclampsia](#) [Premature Birth](#)
[Thyroid Neoplasms](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.