



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

MEN1 (Human) IP-WB Antibody Pair

Catalog # : H00004221-PW1

規格 : [1 Set]


List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of MEN1 transfected lysate using rabbit polyclonal anti-MEN1 and Protein A Magnetic Bead (U0007), and immunoblotted with mouse purified polyclonal anti-MEN1.

Supplied Product: Antibody pair set content:
 1. Antibody pair for IP: rabbit polyclonal anti-MEN1 (300 ul)
 2. Antibody pair for WB: mouse purified polyclonal anti-MEN1 (50 ug)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [4221](#)

Gene Name: MEN1

Gene Alias: MEAI, SCG2

Gene Description: multiple endocrine neoplasia I

Omim ID: [131100](#), [145000](#)

Gene Ontology: [Hyperlink](#)

Application Image

Immunoprecipitation-Western Blot

Gene Summary: This gene encodes menin, a putative tumor suppressor associated with a syndrome known as multiple endocrine neoplasia type 1. In vitro studies have shown menin is localized to the nucleus, possesses two functional nuclear localization signals, and inhibits transcriptional activation by JunD, however, the function of this protein is not known. Two messages have been detected on northern blots but the larger message has not been characterized. Alternative splicing results in multiple transcript variants. [provided by RefSeq]

Other Designations: OTTHUMP00000042868,OTTHUMP00000070176,OTTHUMP00000070180,OTTHUMP00000070184,endocrine adenomatosis, multiple,menin

Related Disease

[Adenocarcinoma](#) [Adenoma](#) [Adrenal Gland Neoplasms](#) [Cardiovascular Diseases](#) [Diabetes Mellitus, Type 2](#) [Disease Susceptibility](#) [Edema](#) [Esophageal Neoplasms](#) [Genetic Predisposition to Disease](#) [Hyperinsulinism](#) [Hyperparathyroidism](#) [Hyperparathyroidism, Primary](#) [Hypoglycemia](#) [Insulinoma](#) [Multiple endocrine neoplasia](#) [Multiple Endocrine Neoplasia Type 1](#) [Neuroendocrine Tumors](#) [Pancreatic cancer](#) [Pancreatic Neoplasms](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.