

Revision: 04/03/2015 Supersedes Revision: 03/07/2003

	accor	rding to Regulation (EC) No. 1907/2006 as amended by	(EC) No. 1272/2008
	Section 1. Ic	lentification of the Substance/Mixture and of the	he Company/Undertaking
1.1	Product Code:	18800	
	Product Name:	Prostaglandin K1	
	Synonyms:	9,11-dioxo-15S-hydroxy-prost-13E-en-1-oic ac	cid; PGK1;
.2	Relevant identified uses of	the substance or mixture and uses advised ag	jainst:
	Relevant identified uses:	For research use only, not for human or veteri	nary use.
.3	Details of the Supplier of th	e Safety Data Sheet:	
	Company Name:	Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108	
	Web site address:	www.caymanchem.com	
	Information:	Cayman Chemical Company	+1 (734)971-3335
.4	Emergency telephone num	ber:	
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887
		Section 2. Hazards Identific	ation
2.1	Classification of the Substa		
	Flammable Liquids, Categ		
	Serious Eye Damage/Eye Specific Target Organ To Label Elements:		
	Serious Eye Damage/Eye Specific Target Organ To Label Elements:	Irritation, Category 2 xicity (single exposure), Category 3	
	Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg	Irritation, Category 2 xicity (single exposure), Category 3 ulation (EC) No 1272/2008 [CLP]:	
	Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq	Irritation, Category 2 xicity (single exposure), Category 3 ulation (EC) No 1272/2008 [CLP]: Danger uid and vapor.	
	Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Office According to Reg GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H319: Causes serious eye	Irritation, Category 2 xicity (single exposure), Category 3 ulation (EC) No 1272/2008 [CLP]: Danger uid and vapor. irritation.	
	Serious Eye Damage/Eye Specific Target Organ Tor Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine	Irritation, Category 2 xicity (single exposure), Category 3 ulation (EC) No 1272/2008 [CLP]: Danger uid and vapor. irritation.	
	Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine GHS Precaution Phrases:	Irritation, Category 2 xicity (single exposure), Category 3 ulation (EC) No 1272/2008 [CLP]: Danger uid and vapor. irritation. ess or dizziness.	
	Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine GHS Precaution Phrases: P210: Keep away from {heat	Irritation, Category 2 xicity (single exposure), Category 3 ulation (EC) No 1272/2008 [CLP]: Danger uid and vapor. irritation. ess or dizziness. at/sparks/open flames/hot surfaces} No smoking	
	Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Construction GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine GHS Precaution Phrases: P210: Keep away from {hea P280: Wear {protective glow	Irritation, Category 2 xicity (single exposure), Category 3 ulation (EC) No 1272/2008 [CLP]: Danger uid and vapor. irritation. ess or dizziness. at/sparks/open flames/hot surfaces} No smoking ves/protective clothing/eye protection/face protecti	
	Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Construction GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine GHS Precaution Phrases: P210: Keep away from {hea P280: Wear {protective glow P264: Wash {hands} thorow	Irritation, Category 2 xicity (single exposure), Category 3 ulation (EC) No 1272/2008 [CLP]: Danger uid and vapor. irritation. ess or dizziness. at/sparks/open flames/hot surfaces} No smoking ves/protective clothing/eye protection/face protection ughly after handling.	
	Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Construction GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine GHS Precaution Phrases: P210: Keep away from {hea P280: Wear {protective glow P264: Wash {hands} thorout P261: Avoid breathing {dustications of the series of the s	Irritation, Category 2 xicity (single exposure), Category 3 ulation (EC) No 1272/2008 [CLP]: Danger uid and vapor. irritation. ess or dizziness. at/sparks/open flames/hot surfaces} No smoking ves/protective clothing/eye protection/face protecti	
	Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Construction GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine GHS Precaution Phrases: P210: Keep away from {hea P280: Wear {protective glow P264: Wash {hands} thorou P261: Avoid breathing {dus GHS Response Phrases: P303+361+353: IF ON SKI	Irritation, Category 2 xicity (single exposure), Category 3 ulation (EC) No 1272/2008 [CLP]: Danger uid and vapor. irritation. ess or dizziness. at/sparks/open flames/hot surfaces} No smoking ves/protective clothing/eye protection/face protection ughly after handling.	ion}.
	Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Control Control Control Control GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine GHS Precaution Phrases: P210: Keep away from {hea P280: Wear {protective glow P264: Wash {hands} thorou P264: Wash {hands} thorou P261: Avoid breathing {dus GHS Response Phrases: P303+361+353: IF ON SKI water/shower.	Irritation, Category 2 xicity (single exposure), Category 3 ulation (EC) No 1272/2008 [CLP]: Danger uid and vapor. irritation. iss or dizziness. irritation. iss or dizziness. int/sparks/open flames/hot surfaces} No smoking ves/protective clothing/eye protection/face protection ughly after handling. it/fume/gas/mist/vapours/spray}. N (or hair): Remove/take off immediately all conta	ion}. Iminated clothing. Rinse skin with
2.2	Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine GHS Precaution Phrases: P210: Keep away from {hea P280: Wear {protective glow P264: Wash {hands} thorou P264: Wash {hands} thorou P261: Avoid breathing {dus GHS Response Phrases: P303+361+353: IF ON SKI water/shower. P305+351+338: IF IN EYE	Irritation, Category 2 xicity (single exposure), Category 3 ulation (EC) No 1272/2008 [CLP]: Danger uid and vapor. irritation. ess or dizziness. at/sparks/open flames/hot surfaces} No smoking ves/protective clothing/eye protection/face protection ughly after handling. tt/fume/gas/mist/vapours/spray}.	ion}. Iminated clothing. Rinse skin with
	Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Control Continue rinsing.	Irritation, Category 2 xicity (single exposure), Category 3 ulation (EC) No 1272/2008 [CLP]: Danger uid and vapor. irritation. iss or dizziness. irritation. iss or dizziness. int/sparks/open flames/hot surfaces} No smoking ves/protective clothing/eye protection/face protection ughly after handling. it/fume/gas/mist/vapours/spray}. N (or hair): Remove/take off immediately all conta	ion}. Iminated clothing. Rinse skin with



Revision: 04/03/2015 Supersedes Revision: 03/07/2003

P312: Call a {POISON CENTER/doctor/...} if you feel unwell.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

2.3 Adverse Human Health Causes serious eye irritation.

Effects and Symptoms: Material may be irritating to the mucous membranes and upper respiratory tract.

May be harmful by inhalation, ingestion, or skin absorption.

May cause drowsiness or dizziness.

May cause skin or respiratory system irritation.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

CAS # / RTECS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
69413-73-6 NA	Prostaglandin K1	0.1 %	NA NA	No data available.
79-20-9 Al9100000	Methyl acetate	99.9 %	201-185-2 607-021-00-X	Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336

Section 4. First Aid Measures

4.1 Description of First Aid No data available.

- In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
- In Case of Skin Contact: Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.
- In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.
- In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
- Important Symptoms and Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy,
 Effects, Both Acute and chest tightness.

Delayed:

Section 5. Fire Fighting Measures

5.1	Suitable Extinguishing	Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.						
	Media:	Use water spray to cool fire-exposed containers.						
	Unsuitable Extinguishing	A solid water stream may be inefficient.						
	Media:							
5.2	Flammable Properties an	dCan release vapors that form explosive mixtures at temperatures at or above the flash point.						
	Hazards:	Container explosion may occur under fire conditions.						
		Emits toxic fumes under fire conditions.						
		Sensitive to static discharge.						
		Vapors can travel to a source of ignition and flash back.						
	Flash Pt:	-10.00 C Method Used: Closed Cup						
	Explosive Limits:	LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C						
	Autoignition Pt:	455.00 C						

Multi-region format



Revision: 04/03/2015 Supersedes Revision: 03/07/2003

					Supersedes Re	vision: 03/07/2003	
5.3	Fire Fig	hting Instructions	As in any fire, wear s	elf-contained breathing appara	atus pressure-demand (NIOS	H approved or	
			equivalent), and full p	protective gear to prevent cont	e gear to prevent contact with skin and eyes.		
			Note: Flammable as	diluted in methyl acetate.			
			Section 6. Ac	cidental Release M	easures		
6.1	Protect	Protective Precautions, Avoid breathing vapors and provide adequate ventilation.					
	Protect	Protective Equipment and As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator					
	Emerge	ency Procedures:	and appropriate pers	sonal protection (rubber boots,	safety goggles, and heavy re	ubber gloves).	
6.2	Enviror	nmental	Take steps to avoid	release into the environment, i	if safe to do so.		
	Precau	tions:					
6.3	Method	ls and Material For	Contain spill and col	lect, as appropriate.			
	Contair	nment and Cleanin	gTransfer to a chemic	al waste container for disposa	I in accordance with local reg	julations.	
	Up:						
			Section 7	. Handling and Stor	rage		
7.1	Precautions To Be Taken Avoid breathing dust/fume/gas/mist/vapours/spray.						
	in Hanc	lling:	Avoid prolonged or re	eated exposure.			
			Keep away from sou	rces of ignition.			
			Take precautionary r	neasures against static discha	rge.		
7.2	Precau	Precautions To Be Taken Keep away from heat, sparks, and flame.					
	in Storing: Keep container tightly						
	Store in accordance v			with information listed on the p	product insert.		
	Other F	r Precautions: Protect from moisture.					
		Sect	ion 8. Exposu	ire Controls/Person	al Protection		
8.1	Exposu	re Parameters:					
CAS	#	Partial Chemical	Name	Britain EH40	France VL	Europe	
694	13-73-6	Prostaglandin K1		No data.	No data.	No data.	
79)-20-9	Methyl acetate		TWA: 616 mg/m3 (200 ppm) STEL: 770 mg/m3 (250 ppm)	TWA: 610 mg/m3 (200 ppm) STEL: 760 mg/m3 (250 ppm)	No data.	

		STEL: 770 mg/m3 (250 ppm)	STEL: 760 mg/m3 (250 ppm)	
CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
69413-73-6	Prostaglandin K1	No data.	No data.	No data.
79-20-9	Methyl acetate	PEL: 200 ppm	TLV: 200 ppm STEL: 250 ppm	No data.

8.2 Exposure Controls:

 8.2.1 Engineering Controls
 Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

 (Ventilation etc.):
 levels below recommended exposure limits.

8.2.2 Personal protection equipment:

Eye Protection:Safety glassesProtective Gloves:Compatible chemical-resistant glovesOther Protective Clothing:Lab coatNIOSH approved respirator, as conditions warrant.Respiratory EquipmentNIOSH approved respirator, as conditions warrant.(Specify Type):Do not take internally.work/Hygienic/MaintenanDo not take internally.ce Practices:Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower.
Wash thoroughly after handling.
No data available.

Multi-region format



Revision: 04/03/2015 Supersedes Revision: 03/07/2003

	CHEMICAL	Supersedes Revision: 03/07/2003
	S	ection 9. Physical and Chemical Properties
9.1	Information on Basic Phys	sical and Chemical Properties
	Physical States:	[]Gas [X]Liquid []Solid
	Appearance and Odor:	A solution in methyl acetate
	Melting Point:	No data.
	Boiling Point:	No data.
	Flash Pt:	-10.00 C Method Used: Closed Cup
	Evaporation Rate:	No data.
	Explosive Limits:	LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C
	Vapor Pressure (vs. Air o	or mm 173 MM_HG at 20.0 C
	Hg):	
	Vapor Density (vs. Air = 1	I): No data.
	Specific Gravity (Water =	1): No data.
	Solubility in Water:	No data.
	Autoignition Pt:	455.00 C
9.2	Other Information	
	Percent Volatile:	No data.
	Molecular Formula & Wei	ight: C20H32O5 352.5
		Section 10. Stability and Reactivity
10.1	Reactivity:	No data available.
10.2	Stability:	Unstable [] Stable [X]
10.3	Stability Note(s):	Stable if stored in accordance with information listed on the product insert.
	Polymerization:	Will occur [] Will not occur [X]
10.4	Conditions To Avoid:	heat, flames and sparks
10.5	Incompatibility - Materials	
	To Avoid:	alkalis
		nitrates
		strong oxidizing agents
10.6	Hazardous	carbon dioxide
	Decomposition Or	carbon monoxide
	Byproducts:	
		Multi-region form



Revision: 04/03/2015 Supersedes Revision: 03/07/2003

			Sectio	n 11. Toxicolog	ical Inform	ation		
11.1	Informat Toxicolc	tion on ogical Effects:	The toxicological effects of this product have not been thoroughly studied. Methyl Acetate - Toxicity Data: Oral LD50 (rat): >5,000 mg/kg; Oral LD50 (rabbit): 3,705 mg/kg; Skin LD50 (rabbit): >5,000 mg/kg; Inhalation TCLO (human): 15,000 mg/m3; Methyl Acetate - Irritation Data: Skin (rabbit): 500 mg (24h) mild; Eyes (rabbit): 100 mg (24h) moderate;					
	Chronic Effects:	Toxicological	See actual e	Registry of Toxic Effects entry in RTECS for comp ate RTECS Number: Als	plete information.		CS) data is pre	esented here.
Carci	nogenicity	<i>ı</i> :	NTP? No	IARC Monographs?	No OSHA R	egulated? No		
CAS	#	Hazardous Com	ponents (Ch	emical Name)	NTP	IARC	ACGIH	OSHA
694	13-73-6	Prostaglandin K1			n.a.	n.a.	n.a.	n.a.
79	9-20-9	Methyl acetate			n.a.	n.a.	n.a.	n.a.
		·	Secti	on 12. Ecologio	cal Informat	tion		
2.1	Toxicity	:		e into the environment.				
			Runoff from	fire control or dilution w	ater may cause p	ollution.		
12.2	Persiste Degrada		No data ava	ilable.				
12.3	-	mulative	No data ava	ilable.				
12.4	Mobility	in Soil:	No data ava	ilable.				
12.5	Results	of PBT and vPvB	No data available.					
	assessm	nent:						
12.6		nent: Iverse effects:	No data ava	ilable.				
12.6				^{ilable.} on 13. Disposal	Considerat	tions		
	Other ad		Sectio					
	Other ad	lverse effects:	Section Dispose in a	on 13. Disposal	ate, and federal r	egulations.		
13.1	Other ad	lverse effects: isposal Method:	Section Dispose in a Sect	on 13. Disposal	ate, and federal r	egulations.		
13.1	Other ad Waste D LAND T	iverse effects: isposal Method: RANSPORT (US I	Section Dispose in a Section DOT):	on 13. Disposal	ate, and federal r	egulations.		
13.1 14.1 D	Other ad Waste D LAND T	iverse effects: isposal Method: RANSPORT (US I r Shipping Name:	Section Dispose in a Section DOT):	on 13. Disposal accordance with local, st tion 14. Transpo	ate, and federal r ort Informat	egulations.		
D	Other ad Waste D LAND T OOT Prope	iverse effects: isposal Method: RANSPORT (US I r Shipping Name: d Class:	Section Dispose in a Section DOT): Methyl A	on 13. Disposal accordance with local, st tion 14. Transpo Acetate Solution	ate, and federal r ort Informat	regulations. tion		
13.1 [14.1 D	Other ad Waste D LAND T OOT Prope OOT Hazard	Iverse effects: isposal Method: RANSPORT (US I r Shipping Name: d Class: nber:	Section Dispose in a Sect DOT): Methyl A 3 1231	on 13. Disposal accordance with local, st tion 14. Transpo Acetate Solution FLAMMABLE I	ate, and federal i ort Informat	regulations. tion		
13.1 14.1 D U U	Other ad Waste D LAND T OOT Prope OOT Hazard JN/NA Nun	Iverse effects: Isposal Method: RANSPORT (US I r Shipping Name: d Class: nber: RANSPORT (Euro	Section Dispose in a Section DOT): Methyl A 3 1231	Acetate Solution FLAMMABLE I	ate, and federal i ort Informat	regulations. tion	I	
13.1 14.1 D U U 14.1 A	Other ad Waste D LAND T OOT Prope OOT Hazard JN/NA Nun	Iverse effects: isposal Method: RANSPORT (US I r Shipping Name: d Class: nber: RANSPORT (Euro hipping Name:	Section Dispose in a Section Dotty: Methyl A 3 1231	on 13. Disposal accordance with local, st tion 14. Transpo Acetate Solution FLAMMABLE I	ate, and federal r ort Informat	regulations. tion up:		
13.1 14.1 D U 14.1 A	Other ad Waste D LAND T OOT Prope OOT Hazard JN/NA Nun	Iverse effects: Isposal Method: RANSPORT (US I r Shipping Name: d Class: nber: RANSPORT (Euro hipping Name: r:	Section Dispose in a Section Dispose in a Section Methyl A 3 1231	Acetate Solution FLAMMABLE I	ate, and federal i ort Informat	regulations. tion up:		



Revision: 04/03/2015 Supersedes Revision: 03/07/2003

14.3 AIR TRANSPORT (ICAO/IATA): ICAO/IATA Shipping Name: Methyl Acetate Solution **UN Number:** Packing Group: Ш 1231 3 - FLAMMABLE LIQUID Hazard Class: IATA Classification: 3 Transport in accordance with local, state, and federal regulations. Additional Transport Information: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity. Section 15. Regulatory Information EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI) 69413-73-6 Prostaglandin K1 No No No 79-20-9 Methyl acetate No No No CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists CAA HAP.ODC: No: CWA NPDES: No: TSCA: No: CA 69413-73-6 Prostaglandin K1 PROP.65: No 79-20-9 Methyl acetate CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -Inventory, 4 Test, 8A PAIR; CA PROP.65: No This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC) **Regulatory Information** No.1272/2008. Statement: Section 16. Other Information **Revision Date:** 04/03/2015 Additional Information About No data available. This Product: Company Policy or Disclaimer: DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

Multi-region format