



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

BCL2A1 polyclonal antibody (A01)

Catalog # : H00000597-A01

規格 : [50 uL]

List All

Specification

Product Description: Mouse polyclonal antibody raised against a partial recombinant BCL2A1.


Immunogen: BCL2A1 (AAH16281, 31 a.a. ~ 130 a.a) partial recombinant protein with GST tag.

Sequence: SKTSRVLQNVAFSVQKEVEKCLKSCLDNVNVVSVDTARTLFNQVMEKEF EDGIINWGRVTIFAFEGILIKLLRQQIAPDVDTYKEISYFVAEFIMNNT

Host: Mouse

Reactivity: Human

Quality Control Testing: Antibody Reactive Against Recombinant Protein.



Western Blot detection against Immunogen (37 KDa) .

Storage Buffer: 50 % glycerol

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)

Datasheet: [Download](#)

Applications

Western Blot (Recombinant protein)

[Protocol Download](#)

ELISA

Gene Information

Entrez GeneID: [597](#)

GeneBank Accession#: [BC016281](#)

Application Image

Western Blot (Recombinant protein)

ELISA

Protein [AAH16281](#)

Accession#:

Gene Name: BCL2A1

Gene Alias: ACC-1,ACC-2,BCL2L5,BFL1,GRS,HBPA1

Gene BCL2-related protein A1

Description:

Omim ID: [601056](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a member of the BCL-2 protein family. The proteins of this family form hetero- or homodimers and act as anti- and pro-apoptotic regulators that are involved in a wide variety of cellular activities such as embryonic development, homeostasis and tumorigenesis. The protein encoded by this gene is able to reduce the release of pro-apoptotic cytochrome c from mitochondria and block caspase activation. This gene is a direct transcription target of NF-kappa B in response to inflammatory mediators, and is up-regulated by different extracellular signals, such as granulocyte-macrophage colony-stimulating factor (GM-CSF), CD40, phorbol ester and inflammatory cytokine TNF and IL-1, which suggests a cytoprotective function that is essential for lymphocyte activation as well as cell survival. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]

Other hematopoietic BCL2-related protein A1

Designations:

Gene Pathway

[Metabolic pathways](#)

Related Disease

[Cardiovascular Diseases](#) [Dermatitis](#), [Atopic](#) [Diabetes Mellitus](#), [Type 2](#) [Edema](#) [Genetic Predisposition to Disease](#) [Graft vs Host Disease](#) [Hematologic Diseases](#) [Hodgkin Disease](#) [Kidney Failure](#), [Chronic Lymphoma](#), [B-Cell Lymphoma](#), [Follicular Lymphoma](#), [Large B-Cell](#), [Diffuse Lymphoproliferative Disorders](#) [Occupational Diseases](#) [Waldenstrom Macroglobulinemia](#) [Werner syndrome](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.