



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Datasheet

### BCL2L2 (Human) Recombinant Protein (P01)

**Catalog Number:** H00000599-P01

**Regulation Status:** For research use only (RUO)

**Product Description:** Human BCL2L2 full-length ORF ( NP\_004041.1, 1 a.a. - 193 a.a.) recombinant protein with GST-tag at N-terminal.

**Sequence:**

MATPASAPDTRALVADDFVGYKLRQKGYVCGAGPGEG  
PAADPLHQAMRAAGDEFETRFRRTFSDLAAQLHVTPG  
SAQQRFTQVSDQLFQGGPNWGRLVAFFVFGAALCAE  
SVNKEMEPLVGQVQEWVMVAYLETRLADWIHSSGGWA  
EFTALYGDGALEEARRLREGNWASVRTVLTGAVALGA  
LVTVGAFFASK

**Host:** Wheat Germ (in vitro)

**Theoretical MW (kDa):** 46.86

**Applications:** AP, Array, ELISA, WB-Re  
(See our web site product page for detailed applications information)

**Protocols:** See our web site at  
<http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

**Preparation Method:** [in vitro wheat germ expression system](#)

**Purification:** Glutathione Sepharose 4 Fast Flow

**Storage Buffer:** 50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

**Storage Instruction:** Store at -80°C. Aliquot to avoid repeated freezing and thawing.

**Entrez GeneID:** 599

**Gene Symbol:** BCL2L2

**Gene Alias:** BCL-W, BCLW, KIAA0271

**Gene Summary:** This gene encodes a member of the BCL-2 protein family. The proteins of this family form

hetero- or homodimers and act as anti- and pro-apoptotic regulators. Expression of this gene in cells has been shown to contribute to reduced cell apoptosis under cytotoxic conditions. Studies of the related gene in mice indicated a role in the survival of NGF- and BDNF-dependent neurons. Mutation and knockout studies of the mouse gene demonstrated an essential role in adult spermatogenesis. [provided by RefSeq]