



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



TNFRSF17 purified MaxPab rabbit polyclonal antibody (D01P) MaxPab®

Catalog # : H00000608-D01P

規格 : [100 ug]


[List All](#)

Specification

Product Description:	Rabbit polyclonal antibody raised against a full-length human TNFRSF17 protein.
Immunogen:	TNFRSF17 (AAH58291.1, 1 a.a. ~ 184 a.a) full-length human protein.
Sequence:	MLQMAGQCSQNEYFDLLHACIPCQLRCSSTPPLTCQRYCNASVTNS VKGTNAILWTCLGLSLIISLAVFVLMFLLRKISSEPLEDEFKNTGSGLLGMA NIDLEKSRTGDEIILPRGLEYTVEECTCEDCIKSKPKVSDHCFPLPAMEE GATILVTTKTNDYCKSLPAALSATEIEKSISAR
Host:	Rabbit
Reactivity:	Human
Quality Control Testing:	Antibody reactive against mammalian transfected lysate.
Storage Buffer:	In 1x PBS, pH 7.4
Storage Instruction:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
MSDS:	 Download
Datasheet:	 Download


Application Image

Western Blot (Transfected lysate)



Applications

Western Blot (Transfected lysate)



Western Blot analysis of TNFRSF17 expression in transfected 293T cell line ([H00000608-T02](#)) by TNFRSF17 MaxPab polyclonal antibody.

Lane 1: TNFRSF17 transfected lysate(20.10 KDa).
Lane 2: Non-transfected lysate.

 [Protocol Download](#)

Gene Information

Entrez GeneID: [608](#)

**GeneBank
Accession#:** [BC058291](#)

**Protein
Accession#:** [AAH58291.1](#)

Gene Name: TNFRSF17

Gene Alias: BCM,BCMA,CD269

**Gene
Description:** tumor necrosis factor receptor superfamily, member 17

Omim ID: [109545](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is preferentially expressed in mature B lymphocytes, and may be important for B cell development and autoimmune response. This receptor has been shown to specifically bind to the tumor necrosis factor (ligand) superfamily, member 13b (TNFSF13B/TALL-1/BAFF), and to lead to NF-kappaB and MAPK8/JNK activation. This receptor also binds to various TRAF family members, and thus may transduce signals for cell survival and proliferation. [provided by RefSeq]

**Other
Designations:** B cell maturation antigen,B-cell maturation factor,OTTHUMP00000160261

Gene Pathway

[Cytokine-cytokine receptor interaction](#)

Related Disease

[Arthritis](#), [Rheumatoid](#) [Asthma](#) [Colitis](#), [Ulcerative Crohn Disease](#)
[Genetic Predisposition to Disease](#) [Hematologic Diseases](#) [Kidney Failure](#), [Chronic](#)
[Multiple Myeloma](#) [Occupational Diseases](#)