



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TNFRSF17 monoclonal antibody (M01), clone 1F10

Catalog # : H00000608-M01

規格 : [100 ug]

[List All](#)

Specification

Product Description: Mouse monoclonal antibody raised against a full length recombinant TNFRSF17.

Immunogen: TNFRSF17 (AAH58291, 1 a.a. ~ 184 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.


Sequence:
MLQMAGQCSQNEYFDSLHACIPCQLRCSSNTPPLTCQRYCNASVTNS
VKGTNAILWTCLGLSLIISLAVFVLMFLLRKISSEPLEDEFKNTGSGLLGMA
NIDLEKSRTGDEIILPRGLETVVEECTCEDCIKSKPKVDSHCFPLPAMEE
GATILVTTKTNDYCKSLPAALSATEIEKSISAR

Host: Mouse

Reactivity: Human

Isotype: IgG1 kappa

Quality Control Testing: Antibody Reactive Against Recombinant Protein.



Western Blot detection against Immunogen (45.98 KDa) .

Storage Buffer: In 1x PBS, pH 7.4

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)


Datasheet: [Download](#)

Applications

Western Blot (Transfected lysate)


Application Image

Western Blot (Transfected lysate)




Western Blot (Recombinant protein)

Sandwich ELISA (Recombinant protein)



[enlarge](#)

ELISA



Western Blot analysis of TNFRSF17 expression in transfected 293T cell line by TNFRSF17 monoclonal antibody (M01), clone 1F10.


Lane 1: TNFRSF17 transfected lysate(20.1 KDa).
Lane 2: Non-transfected lysate.

[Protocol Download](#)

Western Blot (Recombinant protein)

[Protocol Download](#)

Sandwich ELISA (Recombinant protein)



Detection limit for recombinant GST tagged TNFRSF17 is approximately 0.3ng/ml as a capture antibody.

[Protocol Download](#)

ELISA

Gene Information

Entrez GeneID: [608](#)

GeneBank [BC058291](#)
Accession#:

Protein [AAH58291](#)
Accession#:

Gene Name: TNFRSF17

Gene Alias: BCM,BCMA,CD269

Gene Description: tumor necrosis factor receptor superfamily, member 17

Omim ID: [109545](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is preferentially expressed in mature B lymphocytes, and may be important for B cell development and autoimmune response. This receptor has been shown to specifically bind to the tumor necrosis factor (ligand) superfamily, member 13b

(TNFSF13B/TALL-1/BAFF), and to lead to NF-kappaB and MAPK8/JNK activation. This receptor also binds to various TRAF family members, and thus may transduce signals for cell survival and proliferation. [provided by RefSeq]

Other B cell maturation antigen, B-cell maturation
Designations: factor, OTTHUMP00000160261

Gene Pathway

Cytokine-cytokine receptor interaction

Related Disease

Arthritis, Rheumatoid Asthma Colitis, Ulcerative Crohn Disease
Genetic Predisposition to Disease Hematologic Diseases Kidney Failure, Chronic
Multiple Myeloma Occupational Diseases

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.