



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

BNC1 (Human) Recombinant Protein (Q01)

Catalog Number: H00000646-Q01

Regulation Status: For research use only (RUO)

Product Description: Human BNC1 partial ORF (NP_001708, 599 a.a. - 705 a.a.) recombinant protein with GST-tag at N-terminal.

Sequence:

GKPFPEGERPCHRESVIESSGAISQTPEQATHNSERE
TEHTPALIMVPREVEDGGHEHYFTPGMEPQVPFSDYM
ELQQRLLAGGLFSALSNRGMAFPCLDSKELEH

Host: Wheat Germ (in vitro)

Theoretical MW (kDa): 37.51

Applications: AP, Array, ELISA, WB-Re
(See our web site product page for detailed applications information)

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Preparation Method: [in vitro wheat germ expression system](#)

Purification: Glutathione Sepharose 4 Fast Flow

Storage Buffer: 50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 646

Gene Symbol: BNC1

Gene Alias: BNC, BSN1, HsT19447

Gene Summary: The protein encoded by this gene is a zinc finger protein present in the basal cell layer of the epidermis and in hair follicles. It is also found in abundance in the germ cells of testis and ovary. This protein is thought to play a regulatory role in keratinocyte

proliferation and it may also be a regulator for rRNA transcription. This gene seems to have multiple alternatively spliced transcript variants, but their full-length nature is not known yet. There seems to be evidence of multiple polyadenylation sites for this gene. [provided by RefSeq]