



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

BRCA2 Pre-design Chimera RNAi

Catalog # : H00000675-R01

規格 : [10 nmol] [20 nmol]

List All

Specification

Product Description: Homo sapiens breast cancer 2, early onset (BRCA2), mRNA.

Reactivity: Human

Supplied Product: DEPC water

Target Refseq: NM_000059

Target Region: Coding sequence

Storage Instruction: Store at -20°C, do not exceed 4 - 5 freeze-thaw cycles to ensure product integrity.

Note: Position of the Chimera RNAi.



Application Image

RNAi Knockdown

Publication Reference

- [dsCheck: highly sensitive off-target search software for double-stranded RNA-mediated RNA interference.](#)
Naito Y, Yamada T, Matsumiya T, Ui-Tei K, Saigo K, Morishita S. *Nucleic Acids Res.* 2005 Jul 1;33(Web Server issue):W589-91.
- [Functional dissection of siRNA sequence by systematic DNA substitution: modified siRNA with a DNA seed arm is a powerful tool for mammalian gene silencing with significantly reduced off-target effect.](#)
Ui-Tei K, Naito Y, Zenno S, Nishi K, Yamato K, Takahashi F, Juni A, Saigo K. *Nucleic Acids Res.* 2008 Apr;36(7):2136-51. Epub 2008 Feb 11.
- [Guidelines for the selection of highly effective siRNA sequences for mammalian and chick RNA interference.](#)
Ui-Tei K, Naito Y, Takahashi F, Haraguchi T, Ohki-Hamazaki H, Juni A, Ueda R, Saigo K. *Nucleic Acids Res.* 2004 Feb 9;32(3):936-48. Print 2004.
- [siDirect: highly effective, target-specific siRNA design software for mammalian RNA interference.](#)
Naito Y, Yamada T, Ui-Tei K, Morishita S, Saigo K. *Nucleic Acids Res.* 2004 Jul 1;32(Web Server issue):W124-9.

Applications

RNAi Knockdown

Gene Information

Entrez GeneID: [675](#)

Gene Name: BRCA2

Gene Alias: BRCC2,FACD,FAD,FAD1,FANCB,FANCD,FANCD1

Gene Description: breast cancer 2, early onset

Omim ID: [114480](#), [155255](#), [176807](#), [194070](#), [260350](#), [600185](#), [605724](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: Inherited mutations in BRCA1 and this gene, BRCA2, confer increased lifetime risk of developing breast or ovarian cancer. Both BRCA1 and BRCA2 are involved in maintenance of genome stability, specifically the homologous recombination pathway for double-strand DNA repair. The BRCA2 protein contains several copies of a 70 aa motif called the BRC motif, and these motifs mediate binding to the RAD51 recombinase which functions in DNA repair. BRCA2 is considered a tumor suppressor gene, as tumors with BRCA2 mutations generally exhibit loss of heterozygosity (LOH) of the wild-type allele. [provided by RefSeq]

Other Designations: BRCA1/BRCA2-containing complex, subunit 2,OTTHUMP00000018803,OTTHUMP00000042401,breast and ovarian cancer susceptibility gene, early onset,breast cancer 2 tumor suppressor,breast cancer susceptibility protein BRCA2

Gene Pathway

[Homologous recombination](#) [Pancreatic cancer](#) [Pathways in cancer](#)

Related Disease

[Abdominal Neoplasms](#) [Abortion](#), [Habitual Abortion](#), [Spontaneous Adenocarcinoma](#) [Adenocarcinoma](#), [Clear Cell Adenocarcinoma](#), [Mucinous Anticipation](#), [Genetic Anxiety Disorders](#) [Ataxia Telangiectasia](#) [Ataxia telangiectasia](#) [Awareness](#) [Azoospermia](#) [Birth Weight](#) [Bloom Syndrome](#) [Body Image](#) [Body Weight](#) [Brain Neoplasms](#) [Breast cancer](#) [Breast Neoplasms](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.