



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## BTN1A1 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00000696-T01

規格 : [ 100 uL ]

[List All](#)

### Specification

**Transfected Cell Line:** 293T


**Plasmid:** pCMV-BTN1A1 full-length

**Host:** Human

**Theoretical MW (kDa):** 59


**Quality Control Testing:** Transient overexpression cell lysate was tested with Anti-BTN1A1 antibody ([H00000696-D01P](#)) by Western Blots.

#### SDS-PAGE Gel



BTN1A1 transfected lysate.

#### Western Blot



Lane 1: BTN1A1 transfected lysate ( 59.00 KDa)

Lane 2: Non-transfected lysate.

**Storage Buffer:** 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

**Storage Instruction:** Store at -80°C. Aliquot to avoid repeated freezing and thawing.

**MSDS:**  [Download](#)

### Applications

## Western Blot

### Gene Information

**Entrez GeneID:** [696](#)

**GeneBank  
Accession#:** [BC096312.3](#)

**Protein  
Accession#:** [AAH96312.1](#)

**Gene Name:** BTN1A1

**Gene Alias:** BT,BTN

**Gene  
Description:** butyrophilin, subfamily 1, member A1

**Omim ID:** [601610](#)

**Gene Ontology:** [Hyperlink](#)

**Gene Summary:** Butyrophilin is the major protein associated with fat droplets in the milk. It is a member of the immunoglobulin superfamily. It may have a cell surface receptor function. The human butyrophilin gene is localized in the major histocompatibility complex (MHC) class I region of 6p and may have arisen relatively recently in evolution by the shuffling of exons between 2 ancestral gene families [provided by RefSeq]

**Other  
Designations:** OTTHUMP00000017981,bK14H9.2 (butyrophilin, subfamily 1, member A1)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.