



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## C1QBP 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00000708-T02

規格 : [ 100 uL ]

List All

### Specification

**Transfected Cell Line:** 293T


**Plasmid:** pCMV-C1QBP full-length

**Host:** Human

**Theoretical MW (kDa):** 31.4


**Quality Control Testing:** Transient overexpression cell lysate was tested with Anti-C1QBP antibody (H00000708-D01) by Western Blots.

#### SDS-PAGE Gel



C1QBP transfected lysate.

#### Western Blot



Lane 1: C1QBP transfected lysate ( 31.4 KDa)

Lane 2: Non-transfected lysate.

**Storage Buffer:** 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

**Storage Instruction:** Store at -80°C. Aliquot to avoid repeated freezing and thawing.

**MSDS:**  [Download](#)

### Applications

## Western Blot

### Gene Information

Entrez GeneID: [708](#)

GeneBank [NM\\_001212](#)  
Accession#:

Protein [NP\\_001203.1](#)  
Accession#:

Gene Name: C1QBP

Gene Alias: GC1QBP,HABP1,SF2p32,gC1Q-R,gC1qR,p32

Gene Description: complement component 1, q subcomponent binding protein

Omim ID: [601269](#)

Gene Ontology: [Hyperlink](#)

**Gene Summary:** The human complement subcomponent C1q associates with C1r and C1s in order to yield the first component of the serum complement system. The protein encoded by this gene is known to bind to the globular heads of C1q molecules and inhibit C1 activation. This protein has also been identified as the p32 subunit of pre-mRNA splicing factor SF2, as well as a hyaluronic acid-binding protein. [provided by RefSeq]

**Other Designations:** C1q globular domain-binding protein,hyaluronan-binding protein 1,splicing factor SF2-associated protein

### Related Disease

[Birth Weight](#) [Cardiovascular Diseases](#) [Diabetes Mellitus, Type 2](#) [Edema](#)  
[Genetic Predisposition to Disease](#) [Glioblastoma](#) [Glioma](#) [Leukemia](#)  
[Leukemia, Myeloid, Acute](#) [Meningeal Neoplasms](#) [Meningioma](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.