



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

CASP6 polyclonal antibody (A01)

Catalog # : H00000839-A01

規格 : [50 uL]

List All

Specification

Product Description: Mouse polyclonal antibody raised against a partial recombinant CASP6.


Immunogen: CASP6 (NP_001217, 26 a.a. ~ 125 a.a) partial recombinant protein with GST tag.

Sequence: YKREMFDPAEKYKMDHRRRGIALIFNHERFFWHLTLPEERRGTCADRDLN
TRRFSDLGFVKCFNDLKAEELLLKIHEVSTVSHADADCFVCVFLSHGEG
N

Host: Mouse

Reactivity: Human

Quality Control Testing: Antibody Reactive Against Recombinant Protein.



Western Blot detection against Immunogen (37.11 kDa) .

Storage Buffer: 50 % glycerol

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)

Datasheet: [Download](#)

Applications

Western Blot (Recombinant protein)

[Protocol Download](#)

ELISA

Gene Information

Entrez GeneID: [839](#)

GeneBank Accession#: [NM_001226](#)

Application Image

Western Blot (Recombinant protein)

ELISA

Protein [NP_001217](#)

Accession#:

Gene Name: CASP6

Gene Alias: MCH2

Gene Description: caspase 6, apoptosis-related cysteine peptidase


Omim ID: [601532](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a protein which is a member of the cysteine-aspartic acid protease (caspase) family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes which undergo proteolytic processing at conserved aspartic residues to produce two subunits, large and small, that dimerize to form the active enzyme. This protein is processed by caspases 7, 8 and 10, and is thought to function as a downstream enzyme in the caspase activation cascade. Alternative splicing of this gene results in two transcript variants that encode different isoforms. [provided by RefSeq]

Other Designations: apoptotic protease MCH-2,caspase 6,caspase 6, apoptosis-related cysteine protease

Interactome



Gene Pathway

[Apoptosis](#)

Related Disease

[Adenocarcinoma](#) [Alcoholism](#) [Carcinoma, Large Cell](#) [Colorectal Neoplasms](#)
[Disease Progression](#) [Gastrointestinal Stromal Tumors](#) [Genetic Predisposition to Disease](#)
[Hematologic Diseases](#) [Hodgkin Disease](#) [Lung Neoplasms](#) [Lymphatic Metastasis](#)
[Lymphoma, Non-Hodgkin](#) [Lymphoproliferative Disorders](#) [Neoplasm Metastasis](#)
[Neoplasms, Squamous Cell](#) [Occupational Diseases](#) [Prostatic Neoplasms](#)
[Small Cell Lung Carcinoma](#) [Stomach Neoplasms](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.