



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

CBFA2T3 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00000863-T01

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-CBFA2T3 full-length

Host: Human

Theoretical MW (kDa): 67.76


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-CBFA2T3 antibody ([H00000863-B01](#)) by Western Blots.

SDS-PAGE Gel



CBFA2T3 transfected lysate.

Western Blot



Lane 1: CBFA2T3 transfected lysate (67.76 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Western Blot

Gene Information

Entrez GeneID: [863](#)

**GeneBank
Accession#:** [BC062624.1](#)

**Protein
Accession#:** [AAH62624.1](#)

Gene Name: CBFA2T3

Gene Alias: ETO2,MTG16,MTGR2,ZMYND4

**Gene
Description:** core-binding factor, runt domain, alpha subunit 2; translocated to, 3

Omim ID: [603870](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The t(16;21)(q24;q22) translocation is a rare but recurrent chromosomal abnormality associated with therapy-related myeloid malignancies. The translocation produces a chimeric gene made up of the 5'-region of the AML1 gene fused to the 3'-region of this gene. In addition, this gene is a putative breast tumor suppressor. Two transcript variants encoding different isoforms have been found for this gene, and a brefeldin A-sensitive association of RIL-alpha protein with one of the isoforms has been demonstrated in the Golgi apparatus. [provided by RefSeq]

**Other
Designations:** MTG8-related gene 2,myeloid translocation gene on chromosome 16,zinc finger MYND domain-containing protein 4

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.