



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

CD1B 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00000910-T02

規格 : [100 uL]

List All

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-CD1B full-length

Host: Human

Theoretical MW (kDa): 36.9


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-CD1B antibody (H00000910-D01) by Western Blots.

SDS-PAGE Gel



CD1B transfected lysate.

Western Blot



Lane 1: CD1B transfected lysate (36.90 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Western Blot

Gene Information

Entrez GeneID: [910](#)

GeneBank Accession#: [NM_001764](#)

Protein Accession#: [NP_001755.1](#)

Gene Name: CD1B

Gene Alias: CD1,CD1A,MGC125990,MGC125991,R1

Gene Description: CD1b molecule

Omim ID: [188360](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a member of the CD1 family of transmembrane glycoproteins, which are structurally related to the major histocompatibility complex (MHC) proteins and form heterodimers with beta-2-microglobulin. The CD1 proteins mediate the presentation of primarily lipid and glycolipid antigens of self or microbial origin to T cells. The human genome contains five CD1 family genes organized in a cluster on chromosome 1. The CD1 family members are thought to differ in their cellular localization and specificity for particular lipid ligands. The protein encoded by this gene localizes to late endosomes and lysosomes via a tyrosine-based motif in the cytoplasmic tail, and requires vesicular acidification to bind lipid antigens. [provided by RefSeq]

Other Designations: CD1B antigen,CD1B antigen, b polypeptide,OTTHUMP00000018908,T-cell surface glycoprotein CD1b,cortical thymocyte antigen CD1B,differentiation antigen CD1-alpha-3

Gene Pathway

[Hematopoietic cell lineage](#)

Related Disease

[Lung Diseases](#) [Mycobacterium Infections](#)