



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

CD3Z monoclonal antibody (M01), clone 4A12-F6

Catalog Number: H00000919-M01

Regulatory Status: For research use only (RUO)

Product Description: Mouse monoclonal antibody raised against a full length recombinant CD3Z.

Clone Name: 4A12-F6

Immunogen: CD3Z (AAH25703, 1 a.a. ~ 164 a.a)
full-length recombinant protein with GST tag. MW of the
GST tag alone is 26 KDa.

Sequence:

MKWKALFTAAILQAQLPITEAQSFGLLDPKLCYLLDGIL
FIYGVILTALFLRVKFSRSADAPAYQQGQNQLYNELNL
GRREEYDVLDKRRGRDPEMGGKPQRRKNPQEGLYN
ELQKDKMAEAYSEIGMKGERRRGKGHDGLYQGLSTA
TKDITYDALHMQALPPR

Host: Mouse

Reactivity: Human

Applications: ELISA, IHC-P, IP, S-ELISA, WB-Ce,
WB-Re, WB-Tr
(See our web site product page for detailed applications
information)

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product
page for detailed protocols

Isotype: IgG1 kappa

Storage Buffer: In 1x PBS, pH 7.4

Storage Instruction: Store at -20°C or lower. Aliquot to
avoid repeated freezing and thawing.

Entrez GeneID: 919

Gene Symbol: CD247

Gene Alias: CD3-ZETA, CD3H, CD3Q, CD3Z, T3Z,
TCRZ

Gene Summary: The protein encoded by this gene is T-cell receptor zeta, which together with T-cell receptor alpha/beta and gamma/delta heterodimers, and with CD3-gamma, -delta and -epsilon, forms the T-cell receptor-CD3 complex. The zeta chain plays an important role in coupling antigen recognition to several intracellular signal-transduction pathways. Low expression of the antigen results in impaired immune response. Two alternatively spliced transcript variants encoding distinct isoforms have been found for this gene. [provided by RefSeq]