



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)

CD14 (Human) IP-WB Antibody Pair

Catalog # : H00000929-PW2

規格 : [1 Set]


[List All](#)

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of CD14 transfected lysate using rabbit polyclonal anti-CD14 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse purified polyclonal anti-CD14.

Supplied Product: Antibody pair set content:
 1. Antibody pair for IP: rabbit polyclonal anti-CD14 (300 ul)
 2. Antibody pair for WB: mouse purified polyclonal anti-CD14 (50 ug)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [929](#)

Gene Name: CD14

Gene Alias: -

Gene Description: CD14 molecule

Omim ID: [158120](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: CD14 is a surface protein preferentially expressed on

monocytes/macrophages. It binds lipopolysaccharide binding protein and recently has been shown to bind apoptotic cells. Alternative splicing results in multiple transcript variants encoding the same isoform. [provided by RefSeq]

Other Designations: CD14 antigen, monocyte differentiation antigen CD14

Gene Pathway

[Hematopoietic cell lineage](#) [MAPK signaling pathway](#)
[Pathogenic Escherichia coli infection - EHEC](#) [Regulation of actin cytoskeleton](#)
[Toll-like receptor signaling pathway](#)

Related Disease

[Abortion, Habitual](#) [Abscess](#) [Acute Disease](#) [Adenocarcinoma](#) [Aggressive Periodontitis](#)
[Agricultural Workers' Diseases](#) [Airway Obstruction](#) [Alcoholism](#) [Alveolar Bone Loss](#)
[Alzheimer Disease](#) [Alzheimer disease](#) [Amyloidosis](#) [Anaphylaxis](#) [Angina Pectoris](#)
[Angina, Unstable](#) [Appendicitis](#) [Arteriosclerosis](#) [Arthritis, Juvenile Rheumatoid](#)
[Arthritis, Reactive](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.