



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

CD24 (Human) Recombinant Protein (P01)

Catalog Number: H00000934-P01

Regulation Status: For research use only (RUO)

Product Description: Human CD24 full-length ORF (AAH07674, 28 a.a. - 80 a.a.) recombinant protein with GST-tag at N-terminal.

Sequence:

ETTTGTSSNSSQSTSNNSGLAPNPTNATTKAAGGALQS
TASLFVVSLSLLHLYS

Host: Wheat Germ (in vitro)

Theoretical MW (kDa): 31.57

Applications: AP, Array, ELISA, WB-Re
(See our web site product page for detailed applications information)

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Preparation Method: [in vitro wheat germ expression system](#)

Purification: Glutathione Sepharose 4 Fast Flow

Storage Buffer: 50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 934

Gene Summary: This gene encodes a sialoglycoprotein that is expressed on mature granulocytes and in many B cells. The encoded protein is anchored via a glycosyl phosphatidylinositol (GPI) link to the cell surface. An alignment of this gene's sequence finds genomic locations with similarity on chromosomes 3p26, 15q21, 15q22, 20q11.2 and Yq11.1. Whether transcription, and corresponding translation, occurs at each of these other genomic locations needs to be experimentally determined.]