



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## CD80 (Human) IP-WB Antibody Pair

Catalog # : H00000941-PW4

規格 : [ 1 Set ]


[List All](#)

### Specification

**Product Description:** This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

**Reactivity:** Human

**Quality Control Testing:** Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of CD80 transfected lysate using rabbit polyclonal anti-CD80 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse purified polyclonal anti-CD80.

**Supplied Product:** Antibody pair set content:  
 1. Antibody pair for IP: rabbit polyclonal anti-CD80 (300 ul)  
 2. Antibody pair for WB: mouse purified polyclonal anti-CD80 (50 ug)

**Storage Instruction:** Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

**MSDS:**  [Download](#)

### Applications

**Immunoprecipitation-Western Blot**

 [Protocol Download](#)

### Gene Information

**Entrez GeneID:** [941](#)

**Gene Name:** CD80

**Gene Alias:** CD28LG,CD28LG1,LAB7

**Gene Description:** CD80 molecule

**Omim ID:** [112203](#)

**Gene Ontology:** [Hyperlink](#)


### Application Image

Immunoprecipitation-Western Blot

**Gene Summary:** The B-lymphocyte activation antigen B7-1 (formerly referred to as B7) provides regulatory signals for T lymphocytes as a consequence of binding to the CD28 (MIM 186760) and CTLA4 (MIM 123890) ligands of T cells.[supplied by OMIM]

**Other Designations:** B-lymphocyte activation antigen B7,CD80 antigen,CD80 antigen (CD28 antigen ligand 1, B7-1 antigen),costimulatory factor CD80,costimulatory molecule variant IgV-CD80

### Interactome



### Gene Pathway

[Allograft rejection](#) [Autoimmune thyroid disease](#) [Cell adhesion molecules \(CAMs\)](#)  
[Graft-versus-host disease](#) [Systemic lupus erythematosus](#)  
[Toll-like receptor signaling pathway](#) [Type I diabetes mellitus](#)

### Related Disease

[Arthritis, Rheumatoid](#) [Asthma](#) [Asthma Bronchiolitis, Viral](#) [Carcinoma, Hepatocellular](#)  
[Celiac Disease](#) [Disease Progression](#) [Genetic Predisposition to Disease](#) [Hepatitis C](#)  
[Infant, Premature, Diseases](#) [Liver Neoplasms](#) [Lung Neoplasms](#)  
[Lupus Erythematosus, Systemic](#) [Multiple Sclerosis](#) [Papillomavirus Infections](#)  
[Pulmonary Disease, Chronic Obstructive](#) [Respiratory Syncytial Virus Infections](#) [Sarcoidosis](#)  
[Urinary Bladder Neoplasms](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.