



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## TNFRSF8 Pre-design Chimera RNAi

Catalog # : H00000943-R03

規格 : [ 10 nmol ] [ 20 nmol ]

List All

### Specification

**Product Description:** Homo sapiens tumor necrosis factor receptor superfamily, member 8 (TNFRSF8), transcript variant 1, mRNA.

**Reactivity:** Human


**Supplied Product:** DEPC water

**Target Refseq:** NM\_001243

**Target Region:** 3' Untranslated Region (3'UTR)

**Storage Instruction:** Store at -20°C, do not exceed 4 - 5 freeze-thaw cycles to ensure product integrity.

**Note:** Position of the Chimera RNAi.  
The related RNAi products listed below were designed from different accession number but sharing the same RNAi sequence.



### Application Image

RNAi Knockdown

### Publication Reference

- dsCheck: highly sensitive off-target search software for double-stranded RNA-mediated RNA interference.  
Naito Y, Yamada T, Matsumiya T, Ui-Tei K, Saigo K, Morishita S. *Nucleic Acids Res.* 2005 Jul 1;33(Web Server issue):W589-91.
- Functional dissection of siRNA sequence by systematic DNA substitution: modified siRNA with a DNA seed arm is a powerful tool for mammalian gene silencing with significantly reduced off-target effect.  
Ui-Tei K, Naito Y, Zenno S, Nishi K, Yamato K, Takahashi F, Juni A, Saigo K. *Nucleic Acids Res.* 2008 Apr;36(7):2136-51. Epub 2008 Feb 11.
- Guidelines for the selection of highly effective siRNA sequences for mammalian and chick RNA interference.  
Ui-Tei K, Naito Y, Takahashi F, Haraguchi T, Ohki-Hamazaki H, Juni A, Ueda R, Saigo K. *Nucleic Acids Res.* 2004 Feb 9;32(3):936-48. Print 2004.
- siDirect: highly effective, target-specific siRNA design software for mammalian RNA interference.  
Naito Y, Yamada T, Ui-Tei K, Morishita S, Saigo K. *Nucleic Acids Res.* 2004 Jul 1;32(Web Server issue):W124-9.

### Applications

RNAi Knockdown

### Gene Information

Entrez GeneID: [943](#)

**Gene Name:** TNFRSF8

**Gene Alias:** CD30,D1S166E,KI-1

**Gene Description:** tumor necrosis factor receptor superfamily, member 8

**Omim ID:** [153243](#)

**Gene Ontology:** [Hyperlink](#)

**Gene Summary:** The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is expressed by activated, but not by resting, T and B cells. TRAF2 and TRAF5 can interact with this receptor, and mediate the signal transduction that leads to the activation of NF-kappaB. This receptor is a positive regulator of apoptosis, and also has been shown to limit the proliferative potential of autoreactive CD8 effector T cells and protect the body against autoimmunity. Two alternatively spliced transcript variants of this gene encoding distinct isoforms have been reported. [provided by RefSeq]

**Other Designations:** CD30 antigen,CD30L receptor,KI-1 antigen,OTTHUMP00000001783,cytokine receptor CD30,lymphocyte activation antigen CD30

#### Gene Pathway

[Cytokine-cytokine receptor interaction](#)

#### Related Disease

[Asthma](#) [Diabetes Mellitus, Type 1](#) [Genetic Predisposition to Disease](#) [Hematologic Diseases](#) [HIV Infections](#) [Kidney Failure, Chronic](#) [Multiple Myeloma](#) [Occupational Diseases](#) [Tobacco Use Disorder](#)