



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TNFSF8 monoclonal antibody (M10), clone 4E3

Catalog # : H00000944-M10

規格 : [100 ug]

List All

Specification	Application Image
Product Description: Mouse monoclonal antibody raised against a partial recombinant TNFSF8.	ELISA
Immunogen: TNFSF8 (AAH93630.1, 63 a.a. ~ 234 a.a) partial recombinant protein with GST tag.	
Sequence: QRTDSIPNSPDNVPLKGGNCSEDLLCILKRAPFKKSWAYLQVAKHLNKT LSWNKDGLHGVRYQDGNLVIQFPGLYFIIICQLQFLVQCPNNSVDLKLELL INKHIKKQALVTVCESGMQTKHVYQNLQFLLDYLVNTTISVNVDTFQYI DTSTFPLENVLSIFLYSNSD	
Host: Mouse	
Reactivity: Human	
Isotype: IgG1 Kappa	
Quality Control Testing: Antibody Reactive Against Recombinant Protein.	
Storage Buffer: In 1x PBS, pH 7.4	
Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.	
Datasheet:  Download	
Applications	
ELISA	
Gene Information	
Entrez GeneID: 944	
GeneBank Accession#: BC093630.1	
Protein Accession#: AAH93630.1	
Gene Name: TNFSF8	
Gene Alias: CD153,CD30L,CD30LG,MGC138144	
Gene Description: tumor necrosis factor (ligand) superfamily, member 8	
Omim ID: 603875	
Gene Ontology: Hyperlink	

Gene Summary: The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor (TNF) ligand family. This cytokine is a ligand for TNFRSF8/CD30, which is a cell surface antigen and a marker for Hodgkin lymphoma and related hematologic malignancies. The engagement of this cytokine expressed on B cell surface plays an inhibitory role in modulating Ig class switch. This cytokine was shown to enhance cell proliferation of some lymphoma cell lines, while to induce cell death and reduce cell proliferation of other lymphoma cell lines. The pleiotropic biologic activities of this cytokine on different CD30+ lymphoma cell lines may play a pathophysiologic role in Hodgkin's and some non-Hodgkin's lymphomas. [provided by RefSeq]

Other CD153 antigen,CD30 antigen ligand,CD30
Designations: ligand,OTTHUMP00000022762

Gene Pathway

[Cytokine-cytokine receptor interaction](#)

Related Disease

[Diabetes Mellitus, Type 1](#) [Genetic Predisposition to Disease](#) [Hematologic Diseases](#)
[Hodgkin Disease](#) [Kidney Failure, Chronic](#) [Lymphoma, Non-Hodgkin](#)
[Lymphoproliferative Disorders](#) [Multiple Myeloma](#) [Occupational Diseases](#)
[Waldenstrom Macroglobulinemia](#) [Werner syndrome](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.