



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

CHRND polyclonal antibody (A01)

Catalog # : H00001144-A01

規格 : [50 uL]

List All

Specification

Product Description: Mouse polyclonal antibody raised against a partial recombinant CHRND.


Immunogen: CHRND (NP_000742, 24 a.a. ~ 130 a.a) partial recombinant protein with GST tag.

Sequence: EEERLIRHLFQKEKGYNKELRPVAHKEESVDVALALTLNLSLKEVEETLT
TNWVIEHGWTDNRLKWNAAEEFGNISVLRPLPDMVWLPEMLENNNDGSF
QISYSCN

Host: Mouse

Reactivity: Human

Quality Control Testing: Antibody Reactive Against Recombinant Protein.



Western Blot detection against Immunogen (37.88 KDa) .

Storage Buffer: 50 % glycerol

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)

Datasheet: [Download](#)

Applications

Western Blot (Recombinant protein)

[Protocol Download](#)

ELISA

Gene Information

Entrez GeneID: [1144](#)

GeneBank Accession#: [NM_000751](#)

Application Image

Western Blot (Recombinant protein)

ELISA

Protein Accession#: [NP_000742](#)

Gene Name: CHRND

Gene Alias: ACHRD,CMS2A,FCCMS,SCCMS

Gene Description: cholinergic receptor, nicotinic, delta

Omim ID: [100720](#), [601462](#), [608930](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The acetylcholine receptor of muscle has 5 subunits of 4 different types: 2 alpha and 1 each of beta, gamma and delta subunits. After acetylcholine binding, the receptor undergoes an extensive conformation change that affects all subunits and leads to opening of an ion-conducting channel across the plasma membrane. [provided by RefSeq]

Other Designations: cholinergic receptor, nicotinic, delta polypeptide,nicotinic acetylcholine receptor delta polypeptide

Related Disease

[Genetic Predisposition to Disease](#) [Mental Disorders](#) [Myasthenia Gravis](#) [Obesity](#) [Ovarian Failure](#) [Premature Puberty](#) [Polycystic Ovary Syndrome](#) [Delayed Puberty](#) [Precocious Puberty](#) [Thrombophilia](#) [Thymoma](#) [Thymus Neoplasms](#) [Tobacco Use Disorder](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.