



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

CHRND 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00001144-T02

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-CHRND full-length

Host: Human

Theoretical MW (kDa): 58.9


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-CHRND antibody ([H00001144-D01P](#)) by Western Blots.

SDS-PAGE Gel



CHRND transfected lysate.

Western Blot



Lane 1: CHRND transfected lysate (58.90 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [1144](#)

**GeneBank
Accession#:** [NM_000751.1](#)

**Protein
Accession#:** [NP_000742.1](#)

Gene Name: CHRND

Gene Alias: ACHRD,CMS2A,FCCMS,SCCMS

**Gene
Description:** cholinergic receptor, nicotinic, delta

Omim ID: [100720](#), [601462](#), [608930](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The acetylcholine receptor of muscle has 5 subunits of 4 different types: 2 alpha and 1 each of beta, gamma and delta subunits. After acetylcholine binding, the receptor undergoes an extensive conformation change that affects all subunits and leads to opening of an ion-conducting channel across the plasma membrane. [provided by RefSeq]

**Other
Designations:** cholinergic receptor, nicotinic, delta polypeptide,nicotinic acetylcholine receptor delta polypeptide

Related Disease

[Genetic Predisposition to Disease](#) [Mental Disorders](#) [Myasthenia Gravis](#) [Obesity](#) [Ovarian Failure](#) [Premature Puberty](#) [Polycystic Ovary Syndrome](#) [Puberty, Delayed](#) [Puberty, Precocious](#) [Thrombophilia](#) [Thymoma](#) [Thymus Neoplasms](#) [Tobacco Use Disorder](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.