



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

CSF2RA 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00001438-T01

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-CSF2RA full-length

Host: Human

Theoretical MW (kDa): 46.2


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-CSF2RA antibody ([H00001438-B01](#)) by Western Blots.

SDS-PAGE Gel



CSF2RA transfected lysate

Western Blot



Lane 1: CSF2RA transfected lysate (46.2 KDa).

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Western Blot

Gene Information

Entrez GeneID: [1438](#)

GeneBank [NM_006140](#)
Accession#:

Protein [NP_006131](#)
Accession#:

Gene Name: CSF2RA

Gene Alias: CD116,CDw116,CSF2R,CSF2RAX,CSF2RAY,CSF2RX,CSF2RY,GM-CSF-R-alpha,GMCSFR,GMR,MGC3848,MGC4838

Gene Description: colony stimulating factor 2 receptor, alpha, low-affinity (granulocyte-macrophage)


Omim ID: [306250](#), [425000](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is the alpha subunit of the heterodimeric receptor for colony stimulating factor 2, a cytokine which controls the production, differentiation, and function of granulocytes and macrophages. The encoded protein is a member of the cytokine family of receptors. This gene is found in the pseudoautosomal region (PAR) of the X and Y chromosomes. Multiple transcript variants encoding different isoforms have been found for this gene, with some of the isoforms being membrane-bound and others being soluble. [provided by RefSeq]

Other Designations: CD116 antigen,GM-CSF receptor alpha subunit,OTTHUMP00000014504,OTTHUMP00000014505,OTTHUMP0000014917,OTTHUMP00000014918,colony stimulating factor 2 receptor alpha chain,colony stimulating factor 2 receptor alpha subunit,granulocyte-macrophage colony-stimu

Interactome



Gene Pathway

[Cytokine-cytokine receptor interaction](#) [Hematopoietic cell lineage](#)
[Jak-STAT signaling pathway](#) [Pathways in cancer](#)

Related Disease

[Genetic Predisposition to Disease](#) [Schizophrenia](#) [Schizophrenia](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.