



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

CYP3A7 purified MaxPab rabbit polyclonal antibody (D01P) MaxPab®

Catalog # : H00001551-D01P

規格 : [100 ug]

[List All](#)

Specification

Product Description: Rabbit polyclonal antibody raised against a full-length human CYP3A7 protein.

Immunogen: CYP3A7 (NP_000756.1, 1 a.a. ~ 503 a.a) full-length human protein.

Sequence:
 MDLIPNLAVETWLLLAVSLILLYLGTTRTHGLFKKLGIPGPTPLPFLGNAL
 SFRKGYWTFDMECYKKYRKVWGIYDCQQPMLAITDPDMIKTVLVKECYS
 VFTNRRPFGPVGFMKNAISIAEDEEWKRIRSLLSPTFTSGKLEKMPVPIAQ
 YGDVLRNLRREAETGKPVTLKHVFGAYSMDVITSTSGVSDSLNPNQD
 PFVENTKLLRFNPLDPFVLSIKVFPFLTPILEALNITVFRKVISFLTKSVK
 QIKEGRLKETQKHRVDFLQLMIDSKNSKDSETHKALSDLELMAQSIIFIFA
 GYETTSSVLSFIYELATHPDVQQKVQKEIDTVLPNKAPPTYDVLQLEYL
 DMVNETLRLFPVAMRLERVCKKDVEINGMFIKGVVWVWIPSYVLHHDPK
 YWTEPEKFLPERFSKKNKDNIDPYIYTPFGSGPRNCIGMRFALVNMKLAL
 VRVLQNFSPKPKETQIPLKLRFGGLLLEKPIVKAESRDET VSGA

Host: Rabbit

Reactivity: Human

Quality Control Testing: Antibody reactive against mammalian transfected lysate.

Storage Buffer: In 1x PBS, pH 7.4


Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)

Datasheet: [Download](#)


Application Image

Western Blot (Transfected lysate)



Applications

Western Blot (Transfected lysate)



Western Blot analysis of CYP3A7 expression in transfected 293T cell line ([H00001551-T02](#)) by CYP3A7 MaxPab polyclonal antibody.

Lane 1: CYP3A7 transfected lysate(57.50 KDa).
 Lane 2: Non-transfected lysate.

Gene Information

Entrez GeneID: [1551](#)

GeneBank Accession#: [NM_000765.2](#)

Protein Accession#: [NP_000756.1](#)

Gene Name: CYP3A7

Gene Alias: CP37,P450-HFLA

Gene Description: cytochrome P450, family 3, subfamily A, polypeptide 7

Omim ID: [605340](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene, CYP3A7, encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This enzyme hydroxylates testosterone and dehydroepiandrosterone 3-sulphate, which is involved in the formation of estriol during pregnancy. The enzyme also metabolizes some drugs such as aflatoxin B1. This gene is part of a cluster of cytochrome P450 genes on chromosome 7q21.1. Transcript variants have been described, but it is not known whether these transcripts are normally produced. [provided by RefSeq]

Other Designations: aryl hydrocarbon hydroxylase,cytochrome P450, subfamily IIIA, polypeptide 7,flavoprotein-linked monooxygenase,microsomal monooxygenase,xenobiotic monooxygenase

Gene Pathway

[Drug metabolism - cytochrome P450](#) [Drug metabolism - other enzymes](#) [gamma-Hexachlorocyclohexane degradation](#) [Linoleic acid metabolism](#) [Metabolic pathways](#) [Metabolism of xenobiotics by cytochrome P450](#) [Retinol metabolism](#)

Related Disease

[Breast cancer](#) [Breast Neoplasms](#) [Cleft Lip](#) [Cleft Palate](#) [Genetic Predisposition to Disease](#) [HIV Infections](#) [Kidney Failure, Chronic](#) [Lung Neoplasms](#) [Neoplasms, Glandular and Epithelial](#) [Osteoporosis, Postmenopausal](#) [Ovarian cancer](#) [Ovarian Neoplasms](#) [Polycystic Ovary Syndrome](#) [Prostatic Neoplasms](#) [Pulmonary Disease, Chronic Obstructive](#) [Urinary Bladder Neoplasms](#) [Werner syndrome](#)