



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

DAF Pre-design Chimera RNAi

Catalog # : H00001604-R01

規格 : [10 nmol] [20 nmol]

List All

Specification

Product Description: Homo sapiens decay accelerating factor for complement (CD55, Cromer blood group system) (DAF), mRNA.


Reactivity: Human

Supplied Product: DEPC water

Target Refseq: NM_000574

Storage Instruction: Store at -20°C, do not exceed 4 - 5 freeze-thaw cycles to ensure product integrity.

Note: Position of the Chimera RNAi.



Application Image

RNAi Knockdown

Publication Reference

- [dsCheck: highly sensitive off-target search software for double-stranded RNA-mediated RNA interference.](#)
Naito Y, Yamada T, Matsumiya T, Ui-Tei K, Saigo K, Morishita S. *Nucleic Acids Res.* 2005 Jul 1;33(Web Server issue):W589-91.
- [Functional dissection of siRNA sequence by systematic DNA substitution: modified siRNA with a DNA seed arm is a powerful tool for mammalian gene silencing with significantly reduced off-target effect.](#)
Ui-Tei K, Naito Y, Zenno S, Nishi K, Yamato K, Takahashi F, Juni A, Saigo K. *Nucleic Acids Res.* 2008 Apr;36(7):2136-51. Epub 2008 Feb 11.
- [Guidelines for the selection of highly effective siRNA sequences for mammalian and chick RNA interference.](#)
Ui-Tei K, Naito Y, Takahashi F, Haraguchi T, Ohki-Hamazaki H, Juni A, Ueda R, Saigo K. *Nucleic Acids Res.* 2004 Feb 9;32(3):936-48. Print 2004.
- [siDirect: highly effective, target-specific siRNA design software for mammalian RNA interference.](#)
Naito Y, Yamada T, Ui-Tei K, Morishita S, Saigo K. *Nucleic Acids Res.* 2004 Jul 1;32(Web Server issue):W124-9.

Applications

RNAi Knockdown

Gene Information

Entrez GeneID: [1604](#)

Gene Name: CD55

Gene Alias: CR,CROM,DAF,TC

Gene Description: CD55 molecule, decay accelerating factor for complement (Cromer blood group)


Omim ID: [125240](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a protein involved in the regulation of the complement cascade. The encoded glycoprotein is also known as the decay-accelerating factor (DAF); binding of DAF to complement proteins accelerates their decay, disrupting the cascade and preventing damage to host cells. Antigens present on the DAF glycoprotein constitute the Cromer blood group system (CROM). Two alternatively spliced transcripts encoding different proteins have been identified. The predominant transcript encodes a membrane-bound protein expressed on cells exposed to plasma component proteins but an alternatively spliced transcript produces a soluble protein present at much lower levels. Additional, alternatively spliced transcript variants have been described, but their biological validity has not been determined. [provided by RefSeq]

Other Designations: CD55 antigen, decay accelerating factor for complement

Interactome



Gene Pathway

[Complement and coagulation cascades](#) [Hematopoietic cell lineage](#)

Related Disease

[Asthma](#) [Asthma](#) [Birth Weight](#) [Chorioamnionitis](#) [Down Syndrome](#)
[Fetal Membranes, Premature Rupture](#) [Genetic Predisposition to Disease](#) [Glioblastoma](#)
[Glioma](#) [Leukemia](#) [Leukemia, Myeloid, Acute](#) [Lymphoma, Non-Hodgkin](#)
[Macular Degeneration](#) [Meningeal Neoplasms](#) [Meningioma](#) [Obstetric Labor, Premature](#)
[Pre-Eclampsia](#) [Premature Birth](#) [Rhinitis, Allergic, Seasonal](#)