



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com



[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

GADD45A polyclonal antibody (A01)

Catalog # : H00001647-A01

規格 : [50 uL]

List All

Specification	Application Image
Product Description: Mouse polyclonal antibody raised against a partial recombinant GADD45A.	ELISA
Immunogen: GADD45A (AAH11757, 76 a.a. ~ 165 a.a) partial recombinant protein with GST tag.	
Sequence: TLIQAFCCENDINLRVSNPGRRLAELLLLLETAGPAASEGAEQPPDLHCVLVTNPHSSQWKDPALSQLICFCRESRYMDQWVPVINLPER	
Host: Mouse	
Reactivity: Human	
Quality Control Testing: Antibody Reactive Against Recombinant Protein.	
Storage Buffer: 50 % glycerol	
Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.	
MSDS:  Download	
Datasheet:  Download	
Applications	
ELISA	
Gene Information	
Entrez GeneID: 1647	
GeneBank Accession#: BC011757	
Protein Accession#: AAH11757	
Gene Name: GADD45A	
Gene Alias: DDIT1,GADD45	
Gene Description: growth arrest and DNA-damage-inducible, alpha	
Omim ID: 126335	
Gene Ontology: Hyperlink	
Gene Summary: This gene is a member of a group of genes whose transcript levels are	

increased following stressful growth arrest conditions and treatment with DNA-damaging agents. The protein encoded by this gene responds to environmental stresses by mediating activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA damage-induced transcription of this gene is mediated by both p53-dependent and -independent mechanisms. [provided by RefSeq]

Other Designations: DNA damage-inducible transcript 1, DNA damage-inducible transcript-1, DNA-damage-inducible transcript 1, OTTHUMP00000010979, growth arrest and DNA-damage-inducible 45 alpha

Gene Pathway

Cell cycle [MAPK signaling pathway](#) [p53 signaling pathway](#)

Related Disease

[Ataxia telangiectasia](#) [Breast cancer](#) [Breast Neoplasms](#) [Chronic Disease](#) [Colonic Neoplasms](#) [Colorectal Neoplasms](#) [Genetic Predisposition to Disease](#) [Lung Neoplasms](#) [Microsatellite Instability Neoplasms](#) [Glandular and Epithelial Occupational Diseases](#) [Ovarian cancer](#) [Ovarian Neoplasms](#) [Pulmonary Disease](#) [Chronic Obstructive Schizophrenia](#) [Schizophrenia](#) [Paranoid](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.