



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

DDX3X 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00001654-T01

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-DDX3X full-length

Host: Human

Theoretical MW (kDa): 73.2


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-DDX3X antibody ([H00001654-B01](#)) by Western Blots.

SDS-PAGE Gel



DDX3X transfected lysate.

Western Blot



Lane 1: DDX3X transfected lysate (73.2 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Western Blot

Gene Information

Entrez GeneID: [1654](#)

**GeneBank
Accession#:** [NM_001356](#)

**Protein
Accession#:** [NP_001347](#)

Gene Name: DDX3X

Gene Alias: DBX,DDX14,DDX3,HLP2

**Gene
Description:** DEAD (Asp-Glu-Ala-Asp) box polypeptide 3, X-linked

Omim ID: [300160](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: DEAD box proteins, characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD), are putative RNA helicases. They are implicated in a number of cellular processes involving alteration of RNA secondary structure such as translation initiation, nuclear and mitochondrial splicing, and ribosome and spliceosome assembly. Based on their distribution patterns, some members of this family are believed to be involved in embryogenesis, spermatogenesis, and cellular growth and division. This gene encodes a DEAD box protein, which interacts specifically with hepatitis C virus core protein resulting a change in intracellular location. This gene has a homolog located in the nonrecombining region of the Y chromosome. The protein sequence is 91% identical between this gene and the Y-linked homolog. [provided by RefSeq]

**Other
Designations:** ATP-dependent RNA helicase DDX3X,CAP-Rf,DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 3,DEAD/H box-3,helicase like protein 2

Related Disease

[Disease Progression](#) [Disease Susceptibility](#) [HIV Infections](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.