



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## DPP4 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00001803-T01

規格 : [ 100 uL ]

[List All](#)

### Specification

**Transfected Cell Line:** 293T


**Plasmid:** pCMV-DPP4 full-length

**Host:** Human

**Theoretical MW (kDa):** 84.37


**Quality Control Testing:** Transient overexpression cell lysate was tested with Anti-DPP4 antibody (H00001803-B01) by Western Blots.

#### SDS-PAGE Gel



DPP4 transfected lysate.

#### Western Blot



Lane 1: DPP4 transfected lysate ( 84.37 KDa)

Lane 2: Non-transfected lysate.

**Storage Buffer:** 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

**Storage Instruction:** Store at -80°C. Aliquot to avoid repeated freezing and thawing.

**MSDS:**  [Download](#)

### Applications

## Western Blot

### Gene Information

**Entrez GeneID:** [1803](#)

**GeneBank Accession#:** [NM\\_001935.3](#)

**Protein Accession#:** [NP\\_001926.2](#)

**Gene Name:** DPP4

**Gene Alias:** ADABP,ADCP2,CD26,DPPIV,TP103

**Gene Description:** dipeptidyl-peptidase 4

**Omim ID:** [102720](#)

**Gene Ontology:** [Hyperlink](#)

**Gene Summary:** The protein encoded by this gene is identical to adenosine deaminase complexing protein-2, and to the T-cell activation antigen CD26. It is an intrinsic membrane glycoprotein and a serine exopeptidase that cleaves X-proline dipeptides from the N-terminus of polypeptides. [provided by RefSeq]

**Other Designations:** T-cell activation antigen CD26,adenosine deaminase complexing protein 2,dipeptidylpeptidase 4,dipeptidylpeptidase IV,dipeptidylpeptidase IV (CD26, adenosine deaminase complexing protein 2)

### Related Disease

[Anorexia Nervosa](#) [Bulimia](#) [Cardiovascular Diseases](#) [Diabetes Mellitus, Type 2](#) [Edema](#) [Genetic Predisposition to Disease](#) [Metabolic Syndrome X](#) [Obesity](#) [Obesity, Morbid](#) [Ovarian Neoplasms](#) [Periodontitis](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.