



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

DRD2 Pre-design Chimera RNAi

Catalog # : H00001813-R03

規格 : [10 nmol] [20 nmol]

List All

Specification

Product Description: Homo sapiens dopamine receptor D2 (DRD2), transcript variant 1, mRNA.

Reactivity: Human


Supplied Product: DEPC water

Target Refseq: NM_000795

Target Region: 3' Untranslated Region (3'UTR)

Storage Instruction: Store at -20°C, do not exceed 4 - 5 freeze-thaw cycles to ensure product integrity.

Note: Position of the Chimera RNAi.
The related RNAi products listed below were designed from different accession number but sharing the same RNAi sequence.



Application Image

RNAi Knockdown

Publication Reference

- [dsCheck: highly sensitive off-target search software for double-stranded RNA-mediated RNA interference.](#)
Naito Y, Yamada T, Matsumiya T, Ui-Tei K, Saigo K, Morishita S. *Nucleic Acids Res.* 2005 Jul 1;33(Web Server issue):W589-91.
- [Functional dissection of siRNA sequence by systematic DNA substitution: modified siRNA with a DNA seed arm is a powerful tool for mammalian gene silencing with significantly reduced off-target effect.](#)
Ui-Tei K, Naito Y, Zenno S, Nishi K, Yamato K, Takahashi F, Juni A, Saigo K. *Nucleic Acids Res.* 2008 Apr;36(7):2136-51. Epub 2008 Feb 11.
- [Guidelines for the selection of highly effective siRNA sequences for mammalian and chick RNA interference.](#)
Ui-Tei K, Naito Y, Takahashi F, Haraguchi T, Ohki-Hamazaki H, Juni A, Ueda R, Saigo K. *Nucleic Acids Res.* 2004 Feb 9;32(3):936-48. Print 2004.
- [siDirect: highly effective, target-specific siRNA design software for mammalian RNA interference.](#)
Naito Y, Yamada T, Ui-Tei K, Morishita S, Saigo K. *Nucleic Acids Res.* 2004 Jul 1;32(Web Server issue):W124-9.

Applications

RNAi Knockdown

Gene Information

Entrez GeneID: [1813](#)

Gene Name: DRD2

Gene Alias: D2DR,D2R

Gene Description: dopamine receptor D2

Omim ID: [126450](#), [159900](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes the D2 subtype of the dopamine receptor. This G-protein coupled receptor inhibits adenylyl cyclase activity. A missense mutation in this gene causes myoclonus dystonia; other mutations have been associated with schizophrenia. Alternative splicing of this gene results in two transcript variants encoding different isoforms. A third variant has been described, but it has not been determined whether this form is normal or due to aberrant splicing. [provided by RefSeq]

Other Designations: dopamine receptor D2 isoform,seven transmembrane helix receptor

Gene Pathway

[Gap junction](#) [Neuroactive ligand-receptor interaction](#)

Related Disease

[Acute Disease](#) [Adenoma](#) [Adolescent Psychology](#) [Akathisia](#) [Drug-Induced](#)
[Alcohol Withdrawal Delirium](#) [Alcohol Withdrawal Seizures](#) [Alcoholism](#)
[Alcohol-Related Disorders](#) [Alzheimer Disease](#) [Alzheimer disease](#)
[Amphetamine-Related Disorders](#) [Anorexia Nervosa](#) [Antisocial Personality Disorder](#)
[Anxiety Disorders](#) [Appetite](#) [Aptitude](#) [Arousal](#) [Association](#) [Learning](#) [Atrophy](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.