



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TSC22D3 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00001831-T01

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-TSC22D3 full-length

Host: Human

Theoretical MW (kDa): 22.11


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-TSC22D3 antibody (H00001831-B01) by Western Blots.

SDS-PAGE Gel



TSC22D3 transfected lysate.

Western Blot



Lane 1: TSC22D3 transfected lysate (22.11 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [1831](#)

GeneBank Accession#: [NM_198057.2](#)

Protein Accession#: =

Gene Name: TSC22D3

Gene Alias: DIP,DKFZp313A1123,DSIPI,GILZ,TSC-22R,hDIP

Gene Description: TSC22 domain family, member 3

Omim ID: [300506](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene shares significant sequence identity with the murine TSC-22 and Drosophila shs, both of which are leucine zipper proteins, that function as transcriptional regulators. The expression of this gene is stimulated by glucocorticoids and interleukin 10, and it appears to play a key role in the anti-inflammatory and immunosuppressive effects of this steroid and chemokine. Transcript variants encoding different isoforms have been identified for this gene. [provided by RefSeq]

Other Designations: DSIP-immunoreactive leucine zipper protein,OTTHUMP00000023811,OTTHUMP00000023813,OTTHUMP0000023814,TSC-22 related protein,delta sleep inducing peptide, immunoreactor,glucocorticoid-induced leucine zipper protein

Related Disease

[Diabetes Mellitus, Type 2](#)