



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

E2F6 purified MaxPab rabbit polyclonal antibody (D01P) MaxPab®

Catalog # : H00001876-D01P

規格 : [100 ug]

[List All](#)

Specification

Product Description: Rabbit polyclonal antibody raised against a full-length human E2F6 protein.

Immunogen: E2F6 (NP_937987.2, 1 a.a. ~ 281 a.a) full-length human protein.

Sequence:
 MSQQRPAKLPSSLLDPTTEETVRRRCRDPINVEGLLPSKIRINLEDNVQY
 VSMRKALKVKRPRFDVSLVYLTRKFMDLVRAPGGILDNLKQVATKLGVR
 KRRVYDITNVLGIDLVEKSKNHIRWIGSDLSNF GAVPQQKKLQEELSDL
 SAMEDALDELIKDCAQLFELTDDKENERLAYVTYQDIHSIQAFHEQIVIAV
 KAPAETRLDVPAPREDSITVHIRSTNGPIDVYLCEVEQGQTSNKRSEGVG
 TSSSESTHPEGPEEEENPQQSEELLEVSN

Host: Rabbit

Reactivity: Human

Quality Control Testing: Antibody reactive against mammalian transfected lysate.

Storage Buffer: In 1x PBS, pH 7.4


Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)

Datasheet: [Download](#)

Application Image


Western Blot (Transfected lysate)



[enlarge](#)

Applications

Western Blot (Transfected lysate)



Western Blot analysis of E2F6 expression in transfected 293T cell line ([H00001876-T01](#)) by E2F6 MaxPab polyclonal antibody.

Lane 1: E2F6 transfected lysate(31.80 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Information

Entrez GeneID: [1876](#)

**GeneBank
Accession#:** [NM_198256](#)

**Protein
Accession#:** [NP_937987.2](#)

Gene Name: E2F6

Gene Alias: E2F-6,MGC111545

**Gene
Description:** E2F transcription factor 6

Omim ID: [602944](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a member of the E2F transcription factor protein family. E2F family members play a crucial role in control of the cell cycle and of the action of tumor suppressor proteins. They are also a target of the transforming proteins of small DNA tumor viruses. Many E2F proteins contain several evolutionarily conserved domains: a DNA binding domain, a dimerization domain which determines interaction with the differentiation regulated transcription factor proteins (DP), a transactivation domain enriched in acidic amino acids, and a tumor suppressor protein association domain which is embedded within the transactivation domain. The encoded protein of this gene is atypical because it lacks the transactivation and tumor suppressor protein association domains. It contains a modular suppression domain and is an inhibitor of E2F-dependent transcription. The protein is part of a multimeric protein complex that contains a histone methyltransferase and the transcription factors Mga and Max. Multiple transcript variants have been reported for this gene, but it has not been clearly demonstrated that they encode valid isoforms. [provided by RefSeq]

**Other
Designations:** E2F transcription factor 6, isoform 1

Related Disease

[Genetic Predisposition to Disease Ovarian Neoplasms](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.