



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

EDA monoclonal antibody (M09), clone 1E2

Catalog # : H00001896-M09

規格 : [100 ug]

List All

Specification

Product Description: Mouse monoclonal antibody raised against a partial recombinant EDA.

Immunogen: EDA (NP_001390.1 , 245 a.a. ~ 391 a.a) partial recombinant protein with GST tag.


Sequence: ENQPAVWHLQGGQSAIQVKNDLSGGVLDWSRITMNPKVFKLHPRSGEL
EVLVDGTYFYISQVEVYYINFDFASYEVVVDEKPFLLQCTRSIETGKTNYN
TCYTAGVCLLKARQKIAVKMVMHADISINMSKHTTFFGAIRLGEAPAS

Host: Mouse

Reactivity: Human

Isotype: IgG2b Kappa

Quality Control Testing: Antibody Reactive Against Recombinant Protein.



Western Blot detection against Immunogen (18.37 KDa) .

Storage Buffer: In 1x PBS, pH 7.4

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Datasheet: [Download](#)

Applications

Western Blot (Recombinant protein)

[Protocol Download](#)

ELISA

Gene Information

Entrez GeneID: [1896](#)

GeneBank Accession#: [NM_001399.1](#)

Application Image

Western Blot (Recombinant protein)

ELISA

Protein Accession#: [NP_001390.1](#)

Gene Name: EDA

Gene Alias: ED1,ED1-A1,ED1-A2,EDA1,EDA2,HED,XHED,XLHED

Gene Description: ectodysplasin A

Omim ID: [300451](#), [300606](#), [305100](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is a type II membrane protein that can be cleaved by furin to produce a secreted form. The encoded protein, which belongs to the tumor necrosis factor family, acts as a homotrimer and may be involved in cell-cell signaling during the development of ectodermal organs. Defects in this gene are a cause of ectodermal dysplasia, anhidrotic, which is also known as X-linked hypohidrotic ectodermal dysplasia. Several transcript variants encoding many different isoforms have been found for this gene. [provided by RefSeq]

Other Designations: OTTHUMP00000023461,OTTHUMP00000023463,X-linked anhidrotic ectodermal dysplasia protein,ectodermal dysplasia 1, anhidrotic,ectodermal dysplasia, anhidrotic (hypohidrotic),ectodysplasin-A

Gene Pathway

[Cytokine-cytokine receptor interaction](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.