



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

EIF4G1 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00001981-T01

規格 : [100 uL]

List All

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-EIF4G1 full-length

Host: Human

Theoretical MW (kDa): 71.06


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-EIF4G1 antibody ([H00001981-B01](#)) by Western Blots.

Western Blot



Lane 1: EIF4G1 transfected lysate (70.95 KDa)
Lane 2: Non-transfected lysate.

SDS-PAGE Gel



EIF4G1 transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [1981](#)

GeneBank Accession#: [BC007788](#)

Protein Accession#: =

Gene Name: EIF4G1

Gene Alias: DKFZp686A1451, EIF4F, EIF4G, p220

Gene Description: eukaryotic translation initiation factor 4 gamma, 1

Omim ID: [600495](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is a component of the protein complex EIF4F, which is involved in the recognition of the mRNA cap, ATP-dependent unwinding of 5'-terminal secondary structure, and recruitment of mRNA to the ribosome. Alternative splicing results in five transcript variants encoding four distinct isoforms. [provided by RefSeq]

Other Designations: EIF4-gamma

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.