



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)

F8 purified MaxPab mouse polyclonal antibody (B01P) MaxPab®

Catalog # : H00002157-B01P

規格 : [50 ug]

[List All](#)

Specification

Product Description: Mouse polyclonal antibody raised against a full-length human F8 protein.

Immunogen: F8 (NP_063916.1, 1 a.a. ~ 216 a.a) full-length human protein.

Sequence:
 MRIQDPGKVFFGNVDSSGIKHNIFNPPIIARYIRLHPTHYISIRSTLRMELMG
 CDLNSCSMPLGMESKAISDAQITASSYFTNMFATWSPSKARLHLQGRSN
 AWRPQVNNPKEWLQVDFQKTMKVTGVTTQGVKSLTSMYVKEFLISS
 QDGHQWTLFFQNGKVKVFQGNQDSFTPVVNSLDPPLLTRYLRHPQSW
 VHQIALRMEVLGCEAQDLY

Host: Mouse

Reactivity: Human

Quality Control Testing: Antibody reactive against mammalian transfected lysate.


Storage Buffer: In 1x PBS, pH 7.4

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Datasheet:  [Download](#)


Application Image

Western Blot (Transfected lysate)



Applications

Western Blot (Transfected lysate)



Western Blot analysis of F8 expression in transfected 293T cell line (H00002157-T01) by F8 MaxPab polyclonal antibody.

Lane 1: F8 transfected lysate(23.76 KDa).

Lane 2: Non-transfected lysate.

 [Protocol Download](#)

Gene Information

Entrez GeneID: [2157](#)

GeneBank Accession#: [NM_019863.2](#)

Protein Accession#: [NP_063916.1](#)

Gene Name: F8

Gene Alias: AHF,DXS1253E,F8B,F8C,FVIII,HEMA

Gene Description: coagulation factor VIII, procoagulant component


Omim ID: [306700](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes coagulation factor VIII, which participates in the intrinsic pathway of blood coagulation; factor VIII is a cofactor for factor IXa which, in the presence of Ca²⁺ and phospholipids, converts factor X to the activated form Xa. This gene produces two alternatively spliced transcripts. Transcript variant 1 encodes a large glycoprotein, isoform a, which circulates in plasma and associates with von Willebrand factor in a noncovalent complex. This protein undergoes multiple cleavage events. Transcript variant 2 encodes a putative small protein, isoform b, which consists primarily of the phospholipid binding domain of factor VIIIc. This binding domain is essential for coagulant activity. Defects in this gene results in hemophilia A, a common recessive X-linked coagulation disorder. [provided by RefSeq]

Other Designations: OTTHUMP00000061446,OTTHUMP00000196174,coagulation factor VIII,coagulation factor VIIIc,factor VIII F8B,procoagulant component

Interactome



Gene Pathway

[Complement and coagulation cascades](#)

Related Disease

[Abortion, Habitual](#) [Activated Protein C Resistance](#) [Anemia, Sickle Cell](#) [Anemia, sickle cell](#) [Arteriosclerosis](#) [Atherosclerosis](#) [Autoimmune Diseases](#) [Cardiovascular Diseases](#) [Cerebral Hemorrhage](#) [Cerebrovascular Disorders](#) [Chromosome Inversion](#) [Coronary Disease](#) [Diabetes Mellitus](#) [Diabetes Mellitus, Type 2](#) [Disease Progression](#) [Edema](#)

[Fetal Growth Retardation](#) [Genetic Predisposition to Disease](#) [Hemophilia A](#)

[... see more](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.