



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

FCGR2B Pre-design Chimera RNAi

Catalog # : H00002213-R06

規格 : [10 nmol] [20 nmol]

List All

Specification

Product Description: Homo sapiens Fc fragment of IgG, low affinity IIb, receptor (CD32) (FCGR2B), transcript variant 3, mRNA.

Reactivity: Human


Supplied Product: DEPC water

Target Refseq: NM_001002274

Target Region: 3' Untranslated Region (3'UTR)

Storage Instruction: Store at -20°C, do not exceed 4 - 5 freeze-thaw cycles to ensure product integrity.

Note: Position of the Chimera RNAi.
The related RNAi products listed below were designed from different accession number but sharing the same RNAi sequence.



Application Image

RNAi Knockdown

Publication Reference

- dsCheck: highly sensitive off-target search software for double-stranded RNA-mediated RNA interference.
Naito Y, Yamada T, Matsumiya T, Ui-Tei K, Saigo K, Morishita S. *Nucleic Acids Res.* 2005 Jul 1;33(Web Server issue):W589-91.
- Functional dissection of siRNA sequence by systematic DNA substitution: modified siRNA with a DNA seed arm is a powerful tool for mammalian gene silencing with significantly reduced off-target effect.
Ui-Tei K, Naito Y, Zenno S, Nishi K, Yamato K, Takahashi F, Juni A, Saigo K. *Nucleic Acids Res.* 2008 Apr;36(7):2136-51. Epub 2008 Feb 11.
- Guidelines for the selection of highly effective siRNA sequences for mammalian and chick RNA interference.
Ui-Tei K, Naito Y, Takahashi F, Haraguchi T, Ohki-Hamazaki H, Juni A, Ueda R, Saigo K. *Nucleic Acids Res.* 2004 Feb 9;32(3):936-48. Print 2004.
- siDirect: highly effective, target-specific siRNA design software for mammalian RNA interference.
Naito Y, Yamada T, Ui-Tei K, Morishita S, Saigo K. *Nucleic Acids Res.* 2004 Jul 1;32(Web Server issue):W124-9.

Applications

RNAi Knockdown

Gene Information

Entrez GeneID: [2213](#)

Gene Name: FCGR2B

Gene Alias: CD32,CD32B,FCG2,FCGR2,IGFR2

Gene Description: Fc fragment of IgG, low affinity IIb, receptor (CD32)

Omim ID: [152700](#), [604590](#), [611162](#)

Gene Ontology: [Hyperlink](#)

Other Designations: Fc fragment of IgG, low affinity II, receptor for (CD32),Fc fragment of IgG, low affinity IIb, receptor for (CD32),Fc gamma RIib,OTTHUMP00000032379

Gene Pathway

[B cell receptor signaling pathway](#) [Fc gamma R-mediated phagocytosis](#)
[Systemic lupus erythematosus](#)

Related Disease

[Anti-Glomerular Basement Membrane Disease](#) [Arthritis, Rheumatoid](#) [Breast cancer](#)
[Breast Neoplasms](#) [Chronic Periodontitis](#) [Disease Progression](#)
[Genetic Predisposition to Disease](#) [Glomerulonephritis](#) [Hepatitis, Autoimmune](#)
[Lichen Planus, Oral](#) [Lupus Erythematosus, Systemic](#) [Lupus Nephritis](#) [Malaria](#)
[Meningococcal Infections](#) [Pemphigoid, Bullous](#) [Periapical Periodontitis](#) [Periodontitis](#)
[Pneumococcal Infections](#) [Purpura, Thrombocytopenic, Idiopathic](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.