



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

FCN2 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00002220-T01

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-FCN2 full-length

Host: Human

Theoretical MW (kDa): 34


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-FCN2 antibody (H00002220-B01) by Western Blots.

SDS-PAGE Gel



FCN2 transfected lysate.

Western Blot



Lane 1: FCN2 transfected lysate (34 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Western Blot

Gene Information

Entrez GeneID: [2220](#)

GeneBank [BC069825](#)
Accession#:

Protein [AAH69825](#)
Accession#:

Gene Name: FCN2

Gene Alias: EBP-37,FCNL,P35, ficolin-2

Gene Description: ficolin (collagen/fibrinogen domain containing lectin) 2 (hucolin)

Omim ID: [601624](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The product of this gene belongs to the ficolin family of proteins. This family is characterized by the presence of a leader peptide, a short N-terminal segment, followed by a collagen-like region, and a C-terminal fibrinogen-like domain. This gene is predominantly expressed in the liver, and has been shown to have carbohydrate binding and opsonic activities. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq]

Other Designations: L-ficolin, OTTHUMP00000022518, collagen/fibrinogen domain-containing protein 2, ficolin 2, ficolin B, hucolin, serum lectin p35

Related Disease

[Arthritis, Rheumatoid](#) [Bacterial Infections](#) [Behcet Syndrome](#) [Chronic Disease](#)
[Genetic Predisposition to Disease](#) [Leprosy](#) [Pneumococcal Infections](#)
[Postoperative Complications](#) [Recurrence](#) [Respiratory Tract Infections](#) [Rheumatic Fever](#)
[Rheumatic Heart Disease](#) [Streptococcal Infections](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.