



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

FIGF MaxPab rabbit polyclonal antibody (D01)

Catalog Number: H00002277-D01

Regulatory Status: For research use only (RUO)

Product Description: Rabbit polyclonal antibody raised against a full-length human FIGF protein.

Immunogen: FIGF (NP_004460.1, 1 a.a. ~ 354 a.a) full-length human protein.

Sequence:

MYREVVVVNVFMMLYVQLVQGSSNEHGPVKRSSQS
TLERSEQQIRAASSLEELLRITHSEDWKLWRCRLRLKS
FTSMDSRSASHRSTRFAATFYDIETLKVIDEEWQRTQC
SPRETCVEVASELGKSTNTFFKPPCVNVFRCGGCCNE
ESLICMNTSTSYISKQLFEISVPLTSVPELVPVKVANHT
GCKCLPTAPRHPYSIIRRSIQIPEEDRCSHSHKLCPIDM
LWDSNKCKCVLQEENPLAGTEDHSHLQEPALCGPHM
MFEDDRCECVCKTPCPKDLIQHPKNCSCFECKESLET
CCQKHKLFPDTCSCEDRCPFHTRPCASGKTACAKH
CRFPKEKRAAQGPHSRKNP

Host: Rabbit

Reactivity: Human

Applications: IP, WB-Tr

(See our web site product page for detailed applications information)

Protocols: See our web site at

<http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Storage Buffer: No additive

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 2277

Gene Symbol: FIGF

Gene Alias: VEGF-D, VEGFD

Gene Summary: The protein encoded by this gene is a member of the platelet-derived growth factor/vascular

endothelial growth factor (PDGF/VEGF) family and is active in angiogenesis, lymphangiogenesis, and endothelial cell growth. This secreted protein undergoes a complex proteolytic maturation, generating multiple processed forms which bind and activate VEGFR-2 and VEGFR-3 receptors. This protein is structurally and functionally similar to vascular endothelial growth factor C. [provided by RefSeq]