



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

FIGF 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00002277-T01

規格 : [100 uL]

List All

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-FIGF full-length

Host: Human

Theoretical MW (kDa): 40.4


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-FIGF antibody (H00002277-B01) by Western Blots.

SDS-PAGE Gel



FIGF transfected lysate

Western Blot



Lane 1: FIGF transfected lysate (40.4 KDa).

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [2277](#)

GeneBank Accession#: [NM_004469](#)

Protein Accession#: [NP_004460](#)

Gene Name: FIGF

Gene Alias: VEGF-D, VEGFD

Gene Description: c-fos induced growth factor (vascular endothelial growth factor D)

Omim ID: [300091](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is a member of the platelet-derived growth factor/vascular endothelial growth factor (PDGF/VEGF) family and is active in angiogenesis, lymphangiogenesis, and endothelial cell growth. This secreted protein undergoes a complex proteolytic maturation, generating multiple processed forms which bind and activate VEGFR-2 and VEGFR-3 receptors. This protein is structurally and functionally similar to vascular endothelial growth factor C. [provided by RefSeq]

Other Designations: OTTHUMP00000022960, vascular endothelial growth factor D

Gene Pathway

[Bladder cancer](#) [Cytokine-cytokine receptor interaction](#) [Focal adhesion](#)
[mTOR signaling pathway](#) [Pancreatic cancer](#) [Pathways in cancer](#) [Renal cell carcinoma](#)

Related Disease

[Chorioamnionitis](#) [Fetal Membranes, Premature Rupture](#) [Genetic Predisposition to Disease](#)
[Lymphedema](#) [Obstetric Labor, Premature](#) [Pre-Eclampsia](#) [Premature Birth](#)
[Thyroid Neoplasms](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.