

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



FKBP4 293T Cell Transient Overexpression Lysate(Denatured)

atalog # : H000	02288-T01 規格:[100 uL]	
ist All		
Specification		Application Image
Transfected Cell Line:	293T	Western Blo
Plasmid:	pCMV-FKBP4 full-length	
Host:	Human	
Theoretical MV (kDa):	V 50.6	
Quality Control Testing:	Transient overexpression cell lysate was tested with Anti-FKBP4 antibody (<u>H00002288-B01</u>) by Western Blots. Western Blot	
	250 - 150 - 75 - 50 - 37 -	
	25 - 20 -	
	15-	
	10 – Lane 1: FKBP4 transfected lysate (51.8 KDa) Lane 2: Non-transfected lysate. SDS-PAGE GeI	
	250 - 150 - 100 - 75 -	
	50 - 37 -	
	25 -	
	20 - FKBP4 transfected lysate.	
Storage Buffer	: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2- mercaptoethanol, 0.01% Bromophenol blue)	
Storage Instruction:	Store at -80°C. Aliquot to avoid repeated freezing and thawing.	
MSDS:	Pownload 200	
Applications		

on
2288
<u>NM_002014</u>
<u>NP_002005</u>
FKBP4
FKBP52,FKBP59,HBI,Hsp56,PPlase,p52
FK506 binding protein 4, 59kDa
<u>600611</u>
: <u>Hyperlink</u>
The protein encoded by this gene is a member of the immunophilin protein family, which play a role in immunoregulation and basic cellular processes involving protein folding and trafficking. This encoded proteir is a cis-trans prolyl isomerase that binds to the immunosuppressants FK506 and rapamycin. It has high structural and functional similarity to FK506-binding protein 1A (FKBP1A), but unlike FKBP1A, this protein does not have immunosuppressant activity when complexed with FK506 It interacts with interferon regulatory factor-4 and plays an important role in immunoregulatory gene expression in B and T lymphocytes. This encoded protein is known to associate with phytanoyl-CoA alpha- hydroxylase. It can also associate with two heat shock proteins (hsp90 and hsp70) and thus may play a role in the intracellular trafficking of hetero-oligomeric forms of the steroid hormone receptors. This protein correlates strongly with adeno-associated virus type 2 vectors (AAV) resulting in a significant increase in AAV-mediated transgene expression in human cell lines. Thus this encoded protein is thought to have important implications for the optimal use of AAV vectors in human gene therapy. The human genome contains several non-transcribed pseudogenes similar to this gene. [provided by RefSeq
52 kD FK506 binding protein,FK506 binding protein 4 (59kD),FK506 binding protein 52,FK506-binding protein 4 (59kD),HSP binding immunophilin,T-cell FK506-binding protein, 59kD,p59

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.