



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

FLOT2 purified MaxPab mouse polyclonal antibody (B01P) MaxPab®

Catalog # : H00002319-B01P

規格 : [50 ug]

[List All](#)

Specification


Product Description:	Mouse polyclonal antibody raised against a full-length human FLOT2 protein.
Immunogen:	FLOT2 (AAH17292, 1 a.a. ~ 379 a.a) full-length human protein.
Sequence:	MTLQPRCEDVETAEGVALTVTGVAVQVKIMTEKELLAVACEQFLGKNVQD IKNVVLQTLLEGHLRSILGTLTVEQIQDRDQFAKLVREVAAPDVGRMGIEI LSFTIKDVYDKVDYLSL GKTQTAVVQRDADIGVAEAERDAGIREAECKK EMLDVKFMADTKIADSKRAFELQKSAFSEEVNIKTAEAQLAYELQGAREQ QKIRQEEIEIEVVQRKKQIAVEAQEILRTDKELIATVRRPAEAEAHRIQQIAE GEKVKQVLLAQAEAEKIRKIGEAEAAVIEAMGKAEERMKLKAEAYQKYG DAAKMALVLEALPQIAAKIAAPLTKVDEIMVLSGDNSKVTSEVNRLLAELPA SVHALTGVDLSKIPLIKKATGVQV
Host:	Mouse
Reactivity:	Human
Quality Control Testing:	Antibody reactive against mammalian transfected lysate.
Storage Buffer:	In 1x PBS, pH 7.4
Storage Instruction:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
MSDS:	Download
Datasheet:	Download

Publication Reference

1. [From midbody protein-protein interaction network construction to novel regulators in cytokinesis.](#)
Chen TC, Lee SA, Hong TM, Shih JY, Lai JM, Chiou HY, Yang SC, Chan CH, Kao CY, Yang PC, Huang CY. *J Proteome Res.* 2009 Nov;8(11):4943-53.

Applications


Western Blot (Tissue lysate)




FLOT2 MaxPab polyclonal antibody. Western Blot analysis of FLOT2 expression in human

Application Image


Western Blot (Tissue lysate)



Western Blot (Transfected lysate)




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)



liver.

 [Protocol Download](#)

Western Blot (Transfected lysate)





Western Blot analysis of FLOT2 expression in transfected 293T cell line ([H00002319-T01](#)) by FLOT2 MaxPab polyclonal antibody.

Lane 1: FLOT2 transfected lysate(41.8 kDa).
Lane 2: Non-transfected lysate.

 [Protocol Download](#)

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)



 [enlarge this image](#)

Immunoperoxidase of [purified](#) MaxPab antibody to FLOT2 on formalin-fixed paraffin-embedded human prostate. [antibody concentration 1.5 ug/ml]

 [Protocol Download](#)

Gene Information

Entrez GeneID: [2319](#)

GeneBank [BC017292](#)
Accession#:

Protein =
Accession#:

Gene Name: FLOT2

Gene Alias: ECS-1,ECS1,ESA,ESA1,M17S1

Gene Description: flotillin 2

Omim ID: [131560](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: Caveolae are small domains on the inner cell membrane involved in vesicular trafficking and signal transduction. This gene encodes a caveolae-associated, integral membrane protein, which is thought to

function in neuronal signaling. [provided by RefSeq]

Other Flotillin 2 (epidermal surface antigen 1),membrane component,
Designations: chromosome 17, surface marker 1 (35kD protein identified by
monoclonal antibody ECS-1)

Gene Pathway

[Insulin signaling pathway](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.