

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in







GSTM4 monoclonal antibody (M01), clone 4B4

Catalog #: H00002948-M01 規格:[100 ug]

List All




Page 1 of 3 2016/5/21



GSTM4 monoclonal antibody (M01), clone 4B4. Western Blot analysis of GSTM4 expression in HeLa.



Western Blot (Transfected lysate)



Western Blot analysis of GSTM4 expression in transfected 293T cell line by GSTM4 monoclonal antibody (M01), clone 4B4.

Lane 1: GSTM4 transfected lysate(25.6 KDa).

Lane 2: Non-transfected lysate.

Protocol Download

Western Blot (Recombinant protein)



ELISA

Gene Information

Entrez GeneID: 2948

GeneBank BC015513

Accession#:

Protein AAH15513.1

Accession#:

Gene Name: GSTM4

Gene Alias: GSTM4-4,GTM4,MGC131945,MGC9247

Gene glutathione S-transferase mu 4

Description:

Omim ID: <u>138333</u>

Gene Ontology: Hyperlink

Gene Summary: Cytosolic and membrane-bound forms of glutathione S-transferase are

encoded by two distinct supergene families. At present, eight distinct

Page 2 of 3 2016/5/21

classes of the soluble cytoplasmic mammalian glutathione Stransferases have been identified: alpha, kappa, mu, omega, pi, sigma, theta and zeta. This gene encodes a glutathione S-transferase that belongs to the mu class. The mu class of enzymes functions in the detoxification of electrophilic compounds, including carcinogens, therapeutic drugs, environmental toxins and products of oxidative stress, by conjugation with glutathione. The genes encoding the mu class of enzymes are organized in a gene cluster on chromosome 1p13.3 and are known to be highly polymorphic. These genetic variations can change an individual's susceptibility to carcinogens and toxins as well as affect the toxicity and efficacy of certain drugs. Diversification of these genes has occurred in regions encoding substrate-binding domains, as well as in tissue expression patterns, to accommodate an increasing number of foreign compounds. Multiple transcript variants, each encoding a distinct protein isoform, have been identified. [provided by RefSeq

Other

GST class-mu 4,GTS-

Designations: Mu2,OTTHUMP00000013356,OTTHUMP00000013358,S-

(hydroxyalkyl)glutathione lyase M4,glutathione S-alkyltransferase M4,glutathione S-aralkyltransferase M4,glutathione S-aryltransferase

M4, glutathione S-transferase M4

Gene Pathway

<u>Drug metabolism - cytochrome P450</u> <u>Glutathione metabolism</u> <u>Metabolism of xenobiotics by cytochrome P450</u>

Related Disease

Alzheimer Disease Alzheimer disease Arthritis, Rheumatoid Breast Neoplasms

Carcinoma, Squamous Cell Cardiovascular Diseases Cognition Coronary Artery Disease

Coronary Disease Diabetes Mellitus, Type 2 Edema Genetic Predisposition to Disease

Head and Neck Neoplasms Hearing Loss Hypertension Kidney Failure, Chronic

Lung Neoplasms Neoplasms, Second Primary Prenatal Exposure Delayed Effects

... see more

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

Page 3 of 3 2016/5/21