



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 




GTF2I MaxPab mouse polyclonal antibody (B01) MaxPab®


Catalog # : H00002969-B01

規格 : [50 uL]

[List All](#)
Specification

Product Description:	Mouse polyclonal antibody raised against a full-length human GTF2I protein.
Immunogen:	GTF2I (AAH99907.1, 1 a.a. ~ 976 a.a) full-length human protein.
Sequence:	MAQVAMSTLPVEDEESSESRMVVTFLLMSALESMCKELAKSKAEVACIAV YETDVFVVGTERGRAFVNTRKDFQKDFVKYCVVEEEKAAEMHKMKSTT QANRMSVDAVEIETLRKTVEDYFCFCYGKALGKSTVVPVPEKMLRDQS AVVVQGLPEGVAFKHPENYDLATLKWILENKAGISFIKRPFLEPKKHVGG RVMVTDADRSILSPGGSCGPIKVKTEPTEDSGISLEMAAVTVKEESEDPD YYQYNIQGPSETDDVDEKQPLSKPLQGSNHSSENEGTEMEVPAEDDD YSPPSKRPKANELPQPPVPEPANAGKRKVREFNFEKWNARITDLRKQVE ELFERKYAQAIKAKGPVTIPYPLFQSHVEDLYVEGLPEGIPFRRPSTYGIP RLERILLAKERIRFVIKKHELLNSTREDLQLDKPASGVKEEWYARITKLRK MVDQLFCKKFAEALGSTAEKAVPYQKFEAHPNDLYVEGLPENIPFRSPS WYGIPRLEKIIQVGNRIKFVIKRPELLTHSTTEVTQPRNTNPVKEDWNVRIT KLRKQVEEIFNLKFAQALGLTEAVKVPYPVFESNPEFLYVEGLPEGIPFRS PTWFGIPRLERIVRGSNKIKFVKKPELVISYLPFGMASKINTKALQSPKRP RSPGSNSKVPEIEVTVEGPNNNNPQTSVRTPTQTNGSNVPFKPRGREF SFEAWNAKITDLKQKVENLFNEKCGEALGLKQAVKVPFALFESFPEDFYV EGLPEGVPFRRPSTFGIPRLEKILRNKAKIKFIKKPEMFETAKESTSSKSP PRKINSSPNVNTTASGVEDLNIIQVTIPDDDNERLSKVEKARQLREQVNDL FSRKFGAIGMGFPVKVPYRKITINRGCVVWDMPPGVVSFKAPSYLEISS MRRILDSAEFIKFTVIRPFGPLVWNNQLVDQSESEGPVIQESAEPSSQLEVP ATEEIKETDGSSSIKQEPDPTW
Host:	Mouse
Reactivity:	Human, Mouse
Quality Control Testing:	Antibody reactive against mammalian transfected lysate.
Storage Buffer:	No additive
Storage Instruction:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Note:	For IHC and IF applications, antibody purification with Protein A will be needed prior to use.


Datasheet:  [Download](#)
Applications
Western Blot (Cell lysate)
Application Image
Western Blot (Cell lysate)

Western Blot (Cell lysate)

Western Blot (Transfected lysate)

Immunofluorescence

GTF2I MaxPab polyclonal antibody. Western Blot analysis of GTF2I expression in HeLa S3 NE.

[Protocol Download](#)


Western Blot (Cell lysate)



GTF2I MaxPab polyclonal antibody. Western Blot analysis of GTF2I expression in Raw 264.7.

[Protocol Download](#)

Western Blot (Transfected lysate)




Western Blot analysis of GTF2I expression in transfected 293T cell line (H00002969-T01) by GTF2I MaxPab polyclonal antibody.

Lane 1: GTF2I transfected lysate(107.36 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Immunofluorescence



[enlarge this image](#)

Immunofluorescence of purified MaxPab antibody to GTF2I on HeLa cell. [antibody concentration 10 ug/ml]

[Protocol Download](#)

Gene Information

Entrez GeneID: [2969](#)

**GeneBank
Accession#:** [BC099907.1](#)

**Protein
Accession#:** [AAH99907.1](#)

Gene Name: GTF2I

Gene Alias: BAP-135,BAP135,BTKAP1,DIWS,FLJ38776,FLJ56355,IB291,SPIN,TFII-I,WBS,WBSCR6

**Gene
Description:** general transcription factor II, i

Omim ID: [194050](#), [601679](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a multifunctional phosphoprotein with roles in transcription and signal transduction. It is deleted in Williams-Beuren syndrome, a multisystem developmental disorder caused by the deletion of contiguous genes at chromosome 7q11.23. Alternative splicing results in multiple transcript variants. Related pseudogenes have been identified on chromosomes 7, 13 and 21. [provided by RefSeq]

**Other
Designations:** BTK-associated protein, 135kD,Bruton tyrosine kinase-associated protein 135,Williams-Beuren syndrome chromosome region 6

Gene Pathway

[Basal transcription factors](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.