



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

BRF1 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00002972-T01

規格 : [100 uL]

List All

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-BRF1 full-length

Host: Human

Theoretical MW (kDa): 51.8


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-BRF1 antibody (H00002972-B01) by Western Blots.

SDS-PAGE Gel



BRF1 transfected lysate.

Western Blot



Lane 1: BRF1 transfected lysate (51.8 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [2972](#)

GeneBank Accession#: [NM_145685.1](#)

Protein Accession#: =

Gene Name: BRF1

Gene Alias: BRF,FLJ42674,FLJ43034,GTF3B,MGC105048,TAF3B2,TAF3C,TAFIII90,TF3B90,TFIIIB90,hBRF

Gene Description: BRF1 homolog, subunit of RNA polymerase III transcription initiation factor IIIB (*S. cerevisiae*)

Omim ID: [604902](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes one of the three subunits of the RNA polymerase III transcription factor complex. This complex plays a central role in transcription initiation by RNA polymerase III on genes encoding tRNA, 5S rRNA, and other small structural RNAs. The gene product belongs to the TF2B family. Two alternatively spliced variants encoding different isoforms, that function at different promoters transcribed by RNA polymerase III, have been identified. Other transcript variants are possible, but their full-length natures have not been completely characterized. [provided by RefSeq]

Other Designations: B - related factor 1, TATA box binding protein (TBP)-associated factor 3C, TATA box binding protein (TBP)-associated factor, RNA polymerase III, GTF3B subunit 2, TATA box binding protein (TBP)-associated factor, RNA polymerase III, subunit 2, TBP - associated