



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

H1F0 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00003005-T01

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-H1F0 full-length

Host: Human

Theoretical MW (kDa): 21.45


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-H1F0 antibody (H00003005-B01) by Western Blots.

SDS-PAGE Gel



H1F0 transfected lysate

Western Blot



Lane 1: H1F0 transfected lysate (21.45 KDa).

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [3005](#)

GeneBank [BC000145](#)
Accession#:

Protein [AAH00145](#)
Accession#:

Gene Name: H1F0

Gene Alias: H10,H1FV,MGC5241

Gene Description: H1 histone family, member 0

Omim ID: [142708](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a member of the histone H1 family. [provided by RefSeq]

Other Designations: H1.0, H1(0), H1-0,OTTHUMP00000028818

Related Disease

[Genetic Predisposition to Disease](#) [Ovarian Neoplasms](#)