



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

H3F3B polyclonal antibody (A01)

Catalog # : H00003021-A01


規格 : [50 uL]

List All

Specification

Product Description:	Mouse polyclonal antibody raised against a full-length recombinant H3F3B.
Immunogen:	H3F3B (AAH17558, 1 a.a. ~ 136 a.a) full-length recombinant protein with GST tag.
Sequence:	MARTKQTARKSTGGKAPRQLATKAARKSAPSTGGVKKPHRYRPGTVALREIRRYQKSTELLIRKLPFQRLVREIAQDFKTDLRFQSA AIGALQEASEAYLVGLFEDTNLCAIHAKRVTIMPKDIQLARRIRGERA
Host:	Mouse
Reactivity:	Human

Quality Control Testing: Antibody Reactive Against Recombinant Protein.



Western Blot detection against Immunogen (41.07 KDa) .

Storage Buffer: 50 % glycerol

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)

Datasheet: [Download](#)

Applications

Western Blot (Recombinant protein)

[Protocol Download](#)

ELISA

Gene Information

Entrez GeneID: [3021](#)

GeneBank Accession#: [BC017558](#)

Application Image

Western Blot (Recombinant protein)

ELISA

Protein Accession#: [AAH17558](#)

Gene Name: H3F3B

Gene Alias: H3.3B,H3F3A

Gene Description: H3 histone, family 3B (H3.3B)

Omim ID: [601058](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene contains introns and its mRNA is polyadenylated, unlike most histone genes. The protein encoded is a member of the histone H3 family. [provided by RefSeq]

Other Designations: H3 histone, family 3A,H3 histone, family 3B

Gene Pathway

[Systemic lupus erythematosus](#)