



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

HMGB2 monoclonal antibody (M05), clone 3E5

Catalog # : H00003148-M05


規格 : [100 ug]

[List All](#)

Specification

Product Description:	Mouse monoclonal antibody raised against a full length recombinant HMGB2.
Immunogen:	HMGB2 (AAH00903.2, 1 a.a. ~ 195 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence:	MGKGDPNKPRGKMSSYAFFVQTCREEHKKKHPDSSVNF AEF SKKCSER WKTMSAKEKSKFEDMAKSDKARYDREMKNYVPPKGDKKGKKKDPNAPK RPPSAFFLFCSEHRPKIKSEHPGLSIGDTAKKLGEMWSEQSAKDKQPYE QKAAKLKEKEYEKDIAAYRAKGKSEAGKKGPRPTGSKKKNEPEDEEEEEE E
Host:	Mouse
Reactivity:	Human
Isotype:	IgG2a Kappa

Quality Control Testing: Antibody Reactive Against Recombinant Protein.



Western Blot detection against Immunogen (47.19 KDa) .

Storage Buffer: In 1x PBS, pH 7.4

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)


Datasheet: [Download](#)

Applications

Western Blot (Cell lysate)


Application Image

Western Blot (Cell lysate)




Western Blot (Recombinant protein)


Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)




Immunofluorescence



Sandwich ELISA (Recombinant protein)



ELISA




HMGB2 monoclonal antibody (M05), clone 3E5 Western Blot analysis of HMGB2 expression in HeLa S3 NE (Cat # L013V3).

[Protocol Download](#)

Western Blot (Recombinant protein)

[Protocol Download](#)

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)




[enlarge this image](#)

Immunoperoxidase of monoclonal antibody to HMGB2 on formalin-fixed paraffin-embedded human testis. [antibody concentration 3 ug/ml]

[Protocol Download](#)

Immunofluorescence




[enlarge this image](#)

Immunofluorescence of monoclonal antibody to HMGB2 on HeLa cell. [antibody concentration 10 ug/ml]

[Protocol Download](#)

Sandwich ELISA (Recombinant protein)



Detection limit for recombinant GST tagged HMGB2 is approximately 0.03ng/ml as a capture antibody.

ELISA

Gene Information

Entrez GeneID: [3148](#)**GeneBank
Accession#:** [BC000903](#)**Protein
Accession#:** [AAH00903.2](#)**Gene Name:** HMGB2**Gene Alias:** HMG2**Gene
Description:** high-mobility group box 2**Omim ID:** [163906](#)**Gene Ontology:** [Hyperlink](#)

Gene Summary: This gene encodes a member of the non-histone chromosomal high mobility group protein family. The proteins of this family are chromatin-associated and ubiquitously distributed in the nucleus of higher eukaryotic cells. In vitro studies have demonstrated that this protein is able to efficiently bend DNA and form DNA circles. These studies suggest a role in facilitating cooperative interactions between cis-acting proteins by promoting DNA flexibility. This protein was also reported to be involved in the final ligation step in DNA end-joining processes of DNA double-strand breaks repair and V(D)J recombination. [provided by RefSeq]

**Other
Designations:** high-mobility group (nonhistone chromosomal) protein 2**Related Disease**

[Azoospermia](#) [Infertility](#), [Male Oligospermia](#)